

2002  
ESTABLISHED IN 2002

# 2025-2026 PRODUCT RANGE

**Animal Comfort Experts**

[www.terrui.com](http://www.terrui.com)



**TERRUI**





## *Who we are:*

### *TERRUI INTERNATIONAL CO.,LTD.*

Terrui International Co., Ltd. was established in 2002 and specializes in the development, manufacturing, and sales of livestock equipment. Over the years, we have emerged as a leading global supplier of circulation fans, soaking systems, drinking waterers, calf hutches and pens, veterinary accessories, and electric fencing.

Since our inception, we have developed 200+ innovative products and secured 30+ patents. Committed to high product quality, we implemented a comprehensive quality management system, and our operations have been ISO 9001:2008 certified since 2013.

Our products are highly regarded worldwide, and we have successfully marketed them in over 120+ countries. Our mission is to enhance the health and comfort of livestock, contributing to better agricultural practices globally.



<b>1</b>	<b>Cooling and Soaking System</b>	<b>1-6</b>
	Cooling and Soaking System	1-6
<b>2</b>	<b>Livestock Fan</b>	<b>7-16</b>
	Circulation and Exhaust/Intake Fan	7-15
	Ceiling Fan	16-16
<b>3</b>	<b>Livestock Waterer</b>	<b>17-33</b>
	Water Trough	17-30
	Water Bowl	31-33
<b>4</b>	<b>Livestock House</b>	<b>34-37</b>
	Calf Hutch	34-36
	Calf Pen	37-37
<b>5</b>	<b>Veterinary Equipment</b>	<b>38-45</b>
	Veterinary Accessories	38-45
<b>6</b>	<b>Electric Fencing</b>	<b>46-98</b>
	Insulators	46-66
	Gate Handle	67-73
	Wire and Tape	74-79
	Strainer	80-82
	Post	83-89
	Toolings	90-98

## Why Cooling?

Animal performance suffers exponentially as temperature increases. No matter what the animal, heat stress creates both short and long term effects to the herd. Indicators of heat stress vary between animals and often go unnoticed until it's too late to prevent. The results can be dangerous for any farmer and include (but not limited to):

- Loss of Production
- Reduced Conception Rate
- Poor Conversion of Feed
- Health Issues (Expensive Vet Visits)

A successful cooling system will prevent heat stress before it even occurs. This requires a properly designed cooling system, specifically designed for your application and proper operation (ideally automated).

## Benefits of Cooling

Reduces heat stress on the animals. Thus providing many of the benefits below :

- Healthy livestock
- Profitability of the animals
- Maintained reproduction rates
- Maintain performance, milk yields, growth rates etc
- Maintain feed intake. Maintain feed conversion ratios
- Reduce health issues directly and indirectly related to heat stress

## Components of Cooling

Some components of cooling include but are not limited to:



Circulation Fans

Spraying System


Cooling Controller/APP



## The Whole Ideally Automated Cooling System:




### Moonet APP



# Soaking System

## Ideally Visual AI Soaking System



## Smart Spray Cooling System:

Soak the cows, save water and reap the rewards of increased production on your farm. Soaking only when the cow is present and conditions are warranted, lets you know that every drop of water yields a return on investment, all without wasting resources or overwhelming other systems. Smart Soaker makes soaking not only possible but profitable for your farm.

- Give your hard - working dairy cows the opportunity to stand in a cooling shower at the feedbunk to relieve their heat stress.
- Encourage your cows to eat and be cooled. They will reward you with more milk for a very healthy return on your investment.
- The payback is fast , predictable , and a win - win for the cows and owners.

## **Terrui precise spray system:**

This advanced solution is designed to provide tailored comfort for your livestock, ensuring efficient cooling based on the presence of dairy cows in the cooling zone.

- ◎ Intelligent connected APP system for remote control
- ◎ Precise spraying, more water-efficient, save 45% compared with traditional spray system
- ◎ Larger water droplets for quickly wetting the cow's hair, reaching the surface of the cow's skin for rapid cooling
- ◎ Stable operation, safe and reliable, reducing maintenance rates
- ◎ Spraying error rate is less than 3%

## **Socking System Components Overview**

### **1. Water supply**

#### **Water tank**

Used to ensure an adequate water supply for spraying



#### **Water pump**

Flow Rate: 0.5~240m<sup>3</sup>/h

Head: 4.305 meters

Liquid Temperature: -15°C to +120°C



The selection of the water pump will depend on the length of the customer's cattle shed and the head of water supply. 4.5KW, 5.5KW, and 7.5KW

#### **Filter**

Filtering solid particles and suspended matter to ensure the purity of the water quality



## 2. Video Judging System Module

Detect the presence of dairy cows in the cooling zone and activates the mist accordingly.

One camera can control 8 sprinkler



## 3. Smart AI Image Server and Control

### Server

Data Processing Center, used to collect and process data captured by cameras and issue judgment

Instructions externally



### Switch

Used for long-distance Ethernet cable layouts



### Gateway

Serves as the central hub for direct communication between the camera, sprinkler control board, and server, transmitting information



## 4. Distributed Soaking Unit

Equipped with a slave board and solenoid valve for more intelligent control of opening and closing




## 5.Temperature and Humidity Sensor

The system can intelligently control the soaking system based on the temperature and humidity of the ranch. It can also be equipped with additional sensors for further intelligent control




## 6.Mobile APP:

Allow for remote/local management and monitoring of the cooling system.



# Livestock Fans-Panel Fans

## 38" PANEL FAN -EC MOTOR




APP Control

- ◎EC MOTOR, bring sgood heat emission,high efficiency(direct drive),big torque, long-life usage
- ◎Balanced4 stainless steel blades
- ◎Housing is made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the housing more strength and long-life usage, no rust forever
- ◎Large air volume,less noise gives more comfort to animals
- ◎With VFD,can be contoller by APP, PC automatically as the temp and humidity
- ◎Voltage,housing color can be customized
- ◎APP control, need to purchase gateway(DZJ902) and temperature sensor(DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m <sup>3</sup> /h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA038DECGS 5380WMB0	96	750	27000	300	3	direct	380-480	50/60HZ

## 45" PANEL FAN -EC MOTOR



APP Control

- ◎EC MOTOR, bring sgood heat emission,high efficiency(direct drive),big torque, long-life usage
- ◎Balanced 6 Aluminum blades
- ◎Housing is made from heavy-duty, impact resistant fiberglass, long-life usage, no rust forever
- ◎Large air volume,less noise gives more comfort to animals
- ◎With VFD,can be contoller by APP, PC automatically as the temp and humidity
- ◎Voltage can be customized
- ◎APP control, need to purchase gateway(DZJ902) and temperature sensor(DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m <sup>3</sup> /h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA045DECGS 6460WMA0	115	610	40700	500	3	direct	380-480	50/60HZ



## 48" PANEL FAN -EC MOTOR



APP

Control

- ◎EC MOTOR, bring sgood heat emission,high efficiency(direct drive),big torque,long-life usage
- ◎Balanced 6 Aluminum blades
- ◎Housing is made from heavy-duty, impact resistant polyethylene.One shot Roto-molded process brings the housing more strength and long-life usage, no rust forever
- ◎Large air volume,less noise gives more comfort to animals
- ◎With VFD,can be contoller by APP, PC automatically as the temp and humidity
- ◎Voltage can be customized
- ◎APP control, need to purchase gateway(DZJ902) and temperature sensor(DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m³/h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA048DECG S6460WMA0	120	460	45000	700	3	direct	380-480	50/60HZ

## 55" PANEL FAN -EC MOTOR



APP

Control

- ◎EC MOTOR, bring sgood heat emission,high efficiency(direct drive),big torque,long-life usage
- ◎Balanced 6 Aluminum blades
- ◎Housing is made from heavy-duty, impact resistant polyethylene.One shot Roto-molded process brings the housing more strength and long-life usage, no rust forever
- ◎Large air volume,less noise gives more comfort to animals
- ◎With VFD,can be contoller by APP, PC automatically as the temp and humidity
- ◎Voltage can be customized
- ◎APP control, need to purchase gateway(DZJ902) and temperature sensor(DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m³/h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA055DECG S5380WMB0	140	460	66000	1200	3	direct	380-480	50/60HZ

# Livestock Fans-Panel Fans

## 63" PANEL FAN -EC MOTOR



APP Control

- ◎EC MOTOR, bring sgood heat emission,high efficiency(direct drive),big torque, long-life usage
- ◎Balanced 6 Aluminum blades
- ◎Housing is made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the housing more strength and long-life usage, no rust forever
- ◎Large air volume,less noise gives more comfort to animals
- ◎With VFD,can be contoller by APP, PC automatically as the temp and humidity
- ◎Voltage can be customized
- ◎APP control, need to purchase gateway(DZJ902) and temperature sensor(DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m <sup>3</sup> /h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA063DECGS VH6460WMA0	160	444	90000	1700	3	direct	380-480	50/60HZ

## 72" PANEL FAN -EC MOTOR



APP Control

- ◎EC MOTOR, bring sgood heat emission,high efficiency(direct drive),big torque, long-life usage
- ◎Balanced 6 Aluminum blades
- ◎Housing is made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the housing more strength and long-life usage, no rust forever
- ◎Large air volume,less noise gives more comfort to animals
- ◎With VFD,can be contoller by APP, PC automatically as the temp and humidity
- ◎Voltage,housing color can be customized
- ◎APP control, need to purchase gateway(DZJ902) and temperature sensor(DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m <sup>3</sup> /h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA072DECGS 5380WMB6	183	345	120000	2000	3	direct	380-480	50/60HZ

# Livestock Fans-Panel Fans

## 78" PANEL FAN -EC MOTOR



APP

Control

- ① EC MOTOR, bring sgood heat emission,high efficiency(direct drive),big torque, long-life usage
- ② Balanced 6 Aluminum blades
- ③ Housing is made from heavy-duty, impact resistant fiberglass, long-life usage, no rust forever
- ④ Large air volume,less noise gives more comfort to animals
- ⑤ With VFD,can be contoller by APP, PC automatically as the temp and humidity
- ⑥ Voltage,housing color can be customized
- ⑦ APP control, need to purchase gateway(DZJ902) and temperature sensor(DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m <sup>3</sup> /h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA078DECGS VH6460WMA0	198	325	135000	2300	3	direct	380-480	50/60HZ

## 86" PANEL FAN -EC MOTOR



APP

Control

- ① EC MOTOR, bring sgood heat emission,high efficiency(direct drive),big torque, long-life usage
- ② Balanced 6 Aluminum blades
- ③ Housing is made from heavy-duty, impact resistant fiberglass, long-life usage, no rust forever
- ④ Large air volume,less noise gives more comfort to animals
- ⑤ With VFD,can be contoller by APP, PC automatically as the temp and humidity
- ⑥ Voltage can be customized
- ⑦ APP control, need to purchase gateway(DZJ902) and temperature sensor(DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m <sup>3</sup> /h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA086DECGF WMA0	218	320	155000	3300	3	direct	380-480	50/60HZ

# Livestock Fans-Panel Fans

## 98" PANEL FAN -EC MOTOR



APP

Control

- ◎EC MOTOR, bring sgood heat emission,high efficiency(direct drive),big torque,long-life usage
- ◎Balanced 6 Aluminum blades
- ◎Housing is made from heavy-duty, impact resistant fiberglass, long-life usage, no rust forever
- ◎Large air volume,less noise gives more comfort to animals
- ◎With VFD,can be contoller by APP, PC automatically as the temp and humidity
- ◎Voltage,housing color can be customized
- ◎APP control, need to purchase gateway(DZJ902) and temperature sensor(DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m³/h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA098DECGF 5380WMA0	248	300	228000	5000	3	direct	380-480	50/60HZ

## 114" PANEL FAN -EC MOTOR



APP

Control

- ◎EC MOTOR, bring sgood heat emission,high efficiency(direct drive),big torque,long-life usage
- ◎Balanced 6 Aluminum blades
- ◎Housing is made from heavy-duty, impact resistant fiberglass, long-life usage, no rust forever
- ◎Large air volume,less noise gives more comfort to animals
- ◎With VFD,can be contoller by APP, PC automatically as the temp and humidity
- ◎Voltage can be customized
- ◎APP control, need to purchase gateway(DZJ902) and temperature sensor(DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m³/h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA114DECGF 5380WMA0	289	285	300000	7500	3	direct	380-480	50/60HZ

# Livestock Fans-Panel Fans

## SQUARE 38" PANEL FAN -EC MOTOR



APP

Control

- ◎EC MOTOR, bring sgood heat emission,high efficiency(direct drive),big torque, long-life usage
- ◎Balanced4 stainless steel blades
- ◎Housing is made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the housing more strength and long-life usage, no rust forever
- ◎Large air volume,less noise gives more comfort to animals
- ◎With VFD,can be contoller by APP, PC automatically as the temp and humidity
- ◎Voltage,housing color can be customized
- ◎APP control, need to purchase gateway(DZJ902) and temperature sensor(DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m <sup>3</sup> /h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA10214IP5 5ECWMB0	96	750	27000	410	3	direct	380-480	50/60HZ

## SQUARE 45" PANEL FAN -EC MOTOR



APP

Control

- ◎EC MOTOR, bring sgood heat emission,high efficiency(direct drive),big torque, long-life usage
- ◎Balanced5 stainless steel blades
- ◎Housing is made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the housing more strength and long-life usage, no rust forever
- ◎Large air volume,less noise gives more comfort to animals
- ◎With VFD,can be contoller by APP, PC automatically as the temp and humidity
- ◎Voltage can be customized
- ◎APP control, need to purchase gateway(DZJ902) and temperature sensor(DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m <sup>3</sup> /h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA11214IP5 5ECWMB0	115	610	40700	610	3	direct	380-480	50/60HZ

# Livestock Fans- Fans

## 72" LOUVERED FAN -EC MOTOR



APP

Control

- ◎EC MOTOR, bring good heat emission, high efficiency (direct drive), big torque, long-life usage
- ◎Balanced 6 Aluminum blades
- ◎Housing is made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the housing more strength and long-life usage, no rust forever
- ◎large air volume, less noise give more comfort to animals, 6.2m/s from 6m
- ◎With VFD, can be controlled by APP, PC automatically as the temp and humidity
- ◎With baffle plate to change the direction of the air
- ◎Voltage or housing color can be customized
- ◎APP control, need to purchase gateway (DZJ902) and temperature sensor (DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m³/h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA072DE CGSB5	183	345	120193	2000	3	direct	380-480	50/60HZ

## 38" FLOOR FAN WHEEL STAND



APP

Control

- ◎EC MOTOR, brings good heat emission, high efficiency (direct drive), big torque, long-life usage
- ◎Balanced 4 stainless steel blades
- ◎Housing is made from high strength metal
- ◎large air volume exhaust
- ◎With VFD, can be controlled by APP, PC automatically as the temp and humidity
- ◎With steel meshes to protect animals and labors, extra cone can be customized if needed
- ◎Voltage or housing color can be customized
- ◎APP control, need to purchase gateway (DZJ902) and temperature sensor (DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m³/h	Power w	Phase	Drive Mode	Voltage	Frequency
YBA038BSL DA0	96	750	27000	410	3	direct	380-480	50/60HZ

# Livestock Fans-Exhaust Fans

## 98"EXHAUST FAN



APP

Control

- ◎EC MOTOR, brings good heat emission, high efficiency (direct drive), big torque, long-life usage
- ◎Balanced 6 Aluminum blades
- ◎Housing is made from high strength fiberglass, corrosion resistance, easy to clean
- ◎Large air volume exhaust, Cone can be extra purchased
- ◎With VFD, can be controlled by APP, PC automatically as the temp and humidity
- ◎With steel meshes to protect animals and labors, shutters or extra cone can be extra purchased if needed
- ◎Voltage or housing color can be customized
- ◎APP control, need to purchase gateway (DZJ902) and temperature sensor (DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m³/h	Power w	Phase	Drive Mode	Voltage	Frequency
YDA098DE CGSKB5	248	300	235000	5000	3	direct	380-480	50/60HZ

## 72" EXHAUST FAN LOUVERED



APP

Control

- ◎EC MOTOR, brings good heat emission, high efficiency (direct drive), big torque, long-life usage
- ◎Balanced 6 Aluminum blades
- ◎Housing is made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the housing more strength and long-life usage, no rust forever
- ◎Large air volume exhaust, Cone can be extra purchased
- ◎With VFD, can be controlled by APP, PC automatically as the temp and humidity
- ◎With steel meshes to protect animals and labors, extra cone can be customized if needed
- ◎Voltage or housing color can be customized
- ◎APP control, need to purchase gateway (DZJ902) and temperature sensor (DGY601485)

Part No#	Blade Dia cm	RPM	Air Flow m³/h	Power w	Phase	Drive Mode	Voltage	Frequency
YDA072DE CGSKB5	183	345	120000	2000	3	direct	380-480	50/60HZ

# Livestock Fans-Exhaust Fans

## 48" EXHAUST FAN LOUVERED



APP Control

- ◎Balanced 6 fiberglass blades
- ◎Housing is made from high strength fiberglass.corrosion resistance,easy to clean
- ◎6 process testings(noise,shaking,blade speed,air volume,concentricity and efficiency)bring good heat emission,high efficiency(direct drive),big torque,long-life usage
- ◎large air volume,less noise gives more comfort to animals
- ◎Steel meshes fixed on the front and back of the fan protect animals and labours from bruise
- ◎High quality shutters for easy opening and closing
- ◎Voltage and frequency can be customized

Part No#	Blade Dia cm	RPM	Air Flow m³/h	Power w	Phase	Drive Mode	Voltage	Frequency
YDA048DE CKA0	122	460	45000	850	3	direct	380-480	50/60HZ

## 55" EXHAUST FAN LOUVERED






APP Control

- ◎Balanced 6 fiberglass blades
- ◎Housing is made from high strength fiberglass.corrosion resistance,easy to clean
- ◎6 process testings(noise,shaking,blade speed,air volume,concentricity and efficiency)bring good heat emission,high efficiency(direct drive),big torque,long-life usage
- ◎large air volume,less noise gives more comfort to animals
- ◎Steel meshes fixed on the front and back of the fan protect animals and labours from bruise
- ◎High quality shutters for easy opening and closing
- ◎Voltage and frequency can be customized

Part No#	Blade Dia cm	RPM	Air Flow m³/h	Power w	Phase	Drive Mode	Voltage	Frequency
YDA055DE CKA0	140	460	66000	1200	3	direct	380-480	50/60HZ

# Industrial Fans-Ceiling Fans

**CEILING FAN  
EC MOTOR  
24FT, 20FT, 18FT , 16FT**



- ◎EC motor, brings good heat emission, high efficiency (direct drive), big torque, long-life usage
- ◎High strength with ribs to reinforce the Aluminum blade
- ◎Maximal air performance, high efficiency
- ◎Easy to maintain and install
- ◎large air volume, less noise (36dba) gives more comfort to animal
- ◎Voltage and frequency can be customized
- ◎With controller, can be controlled by APP, PC automatically as the temp and humidity
- ◎APP control, need to purchase gateway (DZJ902) and temperature sensor (DGY601485)

Part No#	Name	Power(W/hp)	Air Flow (m³/min)	Drive Mode	Blade Size mm/feet
YBA073AL06EC	24FT ceiling fan with 6 blades	1500/2	15000	direct	7300/24FT
YBA060AL06EC	20FT ceiling fan with 6 blades	1200/1.6	14000	direct	6100/20FT
YBA055AL05EC	18FT ceiling fan with 5 blades	1000/1.4	12500	direct	5500/18FT
YBA048AL05EC	16FT ceiling fan with 5 blades	1000/1.4	11500	direct	4900/16FT

# Livestock Waterers-Water Trough

## **WATERER 4000 Covering**



- ◎ 6 individual spots for cows to drink, 20cm(7.8") per dairy cow, 10cm(4") per beef cow
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keep fresh water available, with 1" fitting
- ◎ No screwing for fixing the cover
- ◎ Adaptable heating system for extra choice

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT401BLH	400/13.1	67/2.2	68/2.2	55/1.8	300/79	120/31	1"	1pc/Wrap

## **WATERER 4000 Opening**



- ◎ Free and large space for cow and beef to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available, with 1" fitting
- ◎ Easy to access, clean and maintain the waterer
- ◎ Adaptable heating system for extra choice

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT401BLHK	400/13.1	67/2.2	68/2.2	55/1.8	300/79	120/31	1"	1pc/Wrap

# Livestock Waterers-Water Trough


## WATERER 4000 Covering-1800W HEATED



- ◎ 6 individual spots for cows to drink, 20cm(7.8") per dairy cow, 10cm(4") per beef cow
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keep fresh water available
- ◎ No screwing for fixing the cover
- ◎ 1800W heating device in-built, heating control box system for extra choice, 110-230V(DKX301DGK03)
- ◎ Controller inside of the waterer model part No#: TPT40040220BLHT1800YT

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT4038220BL HT	400/13.1	67/2.2	68/2.2	55/1.8	300/79	120/31	1"	1pc/Wrap

## WATERER 4000 Opening-1800W HEATED



- ◎ Free and large space for cow and beef to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ◎ Easy to access, clean and maintain the waterer
- ◎ Adaptable heating system for extra choice
- ◎ 1800W heating device in-built, heating control box system for extra choice, 110-230V(DKX301DGK03)
- ◎ Controller inside of the waterer model part No#: TPT40040220BLKHT1800YT

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT4038220BL KHT	400/13.1	67/2.2	68/2.2	55/1.8	300/79	120/31	1"	1pc/Wrap

# Livestock Waterers-Water Trough

## WATERER 2250 Covering



- ◎ 3 individual spots for cows to drink, 20cm(7.8") per dairy cow, 10cm(4") per beef cow
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available, with 1" fitting
- ◎ No screwing for fixing the cover
- ◎ Adaptable heating system for extra choice

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT225BLH	225/7.4	67/2.2	68/2.2	55/1.8	140/37	120/31	1"	1pc/Wrap

## WATERER 2250 Opening



- ◎ Free and large space for cow and beef to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available, with 1" fitting
- ◎ Easy to access, clean and maintain the waterer
- ◎ Adaptable heating system for extra choice

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT225BLHK	225/7.4	67/2.2	68/2.2	55/1.8	140/37	120/31	1"	1pc/Wrap

# Livestock Waterers-Water Trough

## WATERER 2250 Covering-600W HEATED



- ◎ 3 individual spots for cows to drink, 20cm(7.8") per dairy cow, 10cm(4") per beef cow
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ◎ No screwing for fixing the cover
- ◎ 600W heating device in-built, heating control box system for extra choice, 110-230V(DKX301DGK03)
- ◎ Controller inside of the waterer model part No#: TPT22540220BLHT600YT

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT22530220B LHT600	225/7.4	67/2.2	68/2.2	55/1.8	140/37	120/31	1"	1pc/Wrap

## WATERER 2250 Opening-600W HEATED




- ◎ Free and large space for cow and beef to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ◎ Easy to access, clean and maintain the waterer
- ◎ 600W heating device in-built, heating control box system for extra choice, 110-230V(DKX301DGK03)
- ◎ Controller inside of the waterer model part No#: TPT22540220BLKHT600YT

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT22530220B LKHT600	225/7.4	67/2.2	68/2.2	55/1.8	140/37	120/31	1"	1pc/Wrap

# Livestock Waterers-Water Trough


## WATERER 2250 Opening 2.0



- ◎Free and large space for cow and beef to drink
- ◎Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎Sealed and automatically controlled high flow rate float valve always keeps fresh water available,with 1" fitting
- ◎Easy to access,clean and maintain the waterer
- ◎Adaptable heating system for extra choice

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT22610BL	225/7.4	67/2.2	53/1.7	55/1.8	120/31	120/31	1"	1pc/Wrap

## WATERER 2600 Rotatable Opening




- ◎Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎90° rotatable, easy to clean
- ◎Hot dip galvanised steel frame work with high strength
- ◎Sealed and automatically controlled high flow rate float valve always keeps fresh water,with 1" fitting
- ◎Innovated design for easy and safe rotation

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT260BLT	260/8.5	59/1.9	99/3	75/2.46	140/37	120/31	1"	packed seperately

# Livestock Waterers-Water Trough


## WATERER 2800 Covering-1200W HEATED



- ◎Free and large space for cow and beef to drink
- ◎Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎Sealed and automatically controlled high flow rate float valve always keeps fresh water available,with 1" fitting
- ◎Easy to access,clean and maintain the waterer
- ◎1200W heating device in-built, heating control box system for extra choice,110-230V(DKX301DGK03)

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT28038220B LHT1200	280/9.1	56/2.2	55/1.8	44/1.4	150/39	120/31	1"	1pc/Wrap

## WATERER 2800 Opening-1200W HEATED




- ◎Free and large space for cow and beef to drink
- ◎Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎Sealed and automatically controlled high flow rate float valve always keeps fresh water available,with 1" fitting
- ◎Easy to access,clean and maintain the waterer
- ◎1200W heating device in-built, heating control box system for extra choice,110-230V(DKX301DGK03)

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT28038220B LKHT1200	280/9.1	56/2.2	55/1.8	44/1.4	150/39	120/31	1"	1pc/Wrap

# Livestock Waterers-Water Trough

## WATERER 2800 Opening



- ◎Free and large space for cow and beef to drink
- ◎Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎Sealed and automatically controlled high flow rate float valve always keeps fresh water available,with 1" fitting
- ◎Easy to access,clean and maintain the waterer
- ◎Adaptable heating system for extra choice

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT280BLKYT	280/9.1	56/2.2	55/1.8	44/1.4	150/39	120/31	1"	1pc/Wrap

## WATERER 3300 Opening Stainless Panel




- ◎Large stainless panel for easy access to heating system which is directly located under the stainless trough
- ◎Free and large space for cows to drink
- ◎Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎Easy to access,clean and maintain the waterer.Rounded edge design protects animals from bruise
- ◎Sealed and automatically controlled high flow rate float valve alway keeps fresh water available,with 1" fitting
- ◎1200W heating apparatus for extra choice(heating system on the bottom of the stainless panel)
- ◎Much safer than putting the heating apparatus into the drinking water
- ◎Separating the heating apparatus from water makes it much safer than putting it into the drinking water

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT33026SSD	330/9.9	67/2.2	53/1.7	35/1.15	200/52	120/31	1"	1pc/Wrap

# Livestock Waterers-Water Trough

## **WATERER 4000** **Opening Stainless Panel**




- ◎ Large stainless panel for easy access to heating system which is directly located under the stainless trough
- ◎ Free and large space for cows to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Easy to access, clean and maintain the waterer. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available, with 1" fitting
- ◎ 1800W heating apparatus for extra choice (heating system on the bottom of the stainless panel)
- ◎ Much safer than putting the heating apparatus into the drinking water
- ◎ Separating the heating apparatus from water makes it much safer than putting it into the drinking water

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT40026SSD	402/13.1	67/2.2	53/1.7	35/1.15	260/68	120/31	1"	1pc/Wrap

---

## **WATERER 2250** **Opening Stainless Panel**



- ◎ Large stainless panel for easy access to heating system which is directly located under the stainless trough
- ◎ Free and large space for cows to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Easy to access, clean and maintain the waterer. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available, with 1" fitting
- ◎ 600W heating apparatus for extra choice (heating system on the bottom of the stainless panel)
- ◎ Much safer than putting the heating apparatus into the drinking water
- ◎ Separating the heating apparatus from water makes it much safer than putting it into the drinking water

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT22526SSD	225/7.4	67/2.2	53/1.7	35/1.15	120/31	120/31	1"	1pc/Wrap

# Livestock Waterers-Water Trough

## WATERER 1700S Covering-600W HEATED



- ◎ 4 individual spots for sheep, calf and even heifer to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animal from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ◎ 600W heating device in-built, heating control box system for extra choice, 110-230V(DKX301DGK03)
- ◎ Controller inside of the waterer model part No#: TPT17040220BLHT600YT

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT1735220BL HT600	170/5.57	48/1.57	46/1.5	30/1	60/15.8	40/10	1/2"	1pc/Wrap

## WATERER 1700S Opening-600W HEATED



- ◎ 4 individual spots for sheep, calf and even heifer to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animal from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ◎ 600W heating device in-built, heating control box system for extra choice, 110-230V(DKX301DGK03)
- ◎ Controller inside of the waterer model part No#: TPT17040220BLKHT600YT

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT1735220BL KHT600	170/5.57	48/1.57	46/1.5	30/1	60/15.8	40/10	1/2"	1pc/Wrap

# Livestock Waterers-Water Trough

## WATERER 1700D Covering-600W HEATED



- ◎ 4 individual spots for sheep, calf and even heifer to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animal from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ◎ 600W heating device in-built, heating control box system for extra choice, 110-230V(DKX301DGK03)
- ◎ Controller inside of the waterer model part No#: TPT17040220BLHT600MYT

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT1735220BL HT600M	170/5.57	48/1.57	46/1.5	30/1	60/15.8	40/10	1/2"	1pc/Wrap

## WATERER 1700D Opening-600W HEATED



- ◎ 4 individual spots for sheep, calf and even heifer to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animal from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ◎ 600W heating device in-built, heating control box system for extra choice, 110-230V(DKX301DGK03)
- ◎ Controller inside of the waterer model part No#: TPT17040220BLKHT600MYT

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT1735220BL KHT600M	170/5.1	48/1.57	46/1.5	30/1	60/15.8	40/10	1/2"	1pc/Wrap

# Livestock Waterers-Water Trough

## WATERER 1700 Covering



- ④ 4 individual spots for sheep, calf and even heifer to drink
- ⑤ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ⑥ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ⑦ Offset feet make them easy to install. Rounded edge design protects animal from bruise
- ⑧ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ⑨ Adaptable heating system for extra choice
- ⑩ Without covers and balls model can also be available(TPT170BLKYBS)
- ⑪ Controller inside of the waterer model part No#: TPT17040220BLHT600MYT

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT170BLYBS	170/5.57	48/1.57	46/1.5	30/1	60/15.8	40/10	1/2"	1pc/Wrap

## WATERER 1130 Covering



- ② 2 individual spots for sheep, calf and even heifer to drink
- ⑤ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ⑥ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ⑦ Offset feet make them easy to install. Rounded edge design protects animal from bruise
- ⑧ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ⑨ Adaptable heating system for extra choice
- ⑩ Without covers and balls model can also be available(TPT11325BLK)

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT11325BL	113/3.7	49/1.6	45/1.47	30/1"	26/6.8	40/10	1/2"	1pc/Wrap



## **WATERER 1130**

### **Covering-300W HEATED**



- ◎ 2 individual spots for sheep, calf and even heifer to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animal from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ◎ 300W heating device in-built, heating control box system for extra choice, 110-230V(DKX301DGK03)
- ◎ Without covers and balls model can also be available(TPT11330220BLKHT600)
- ◎ Controller inside of the waterer model part No#: TPT11340220BLHT600YT

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT11330220B LHT600	113/3.7	49/1.6	45/1.47	30/1"	26/6.8	40/10	1/2"	1pc/Wrap

## **WATERER 88**

### **Covering-300W HEATED**



- ◎ 2 individual spots for cows to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available, with 3/4" fitting
- ◎ 300W heating device in-built, heating control box system for extra choice, 110-230V(DKX301DGK03)
- ◎ Heating control system in-built model(TSM08830220BLHT300)

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TSM08830220B LHT300A	110/3.6	70/2.3	53/1.7	45/1.47	85/22	50/13	3/4"	1pc/Carton

# Livestock Waterers-Water Trough

## WATERER 88 Covering



- ◎ 2 individual spots for cows to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available, with 3/4" fitting
- ◎ Adaptable heating system for extra choice

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TSM088BL	110/3.6	70/2.3	53/1.7	45/1.47	85/22	50/13	3/4"	1pc/Carton

---

## WATERER 40 Covering



- ◎ Single spot for cow to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available, with 3/4" fitting
- ◎ Adaptable heating system for extra choice

Part No#	Length cm/in	Width cm/in	Overall Height(cm/in)	Drinking Height(cm/in)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TSM040BL	70/2.3	60/1.97	52/1.7	45/1.47	40/10	50/13	3/4"	1pc/Carton

# Livestock Waterers-Water Trough

## WATERER 110

### Open



- ◎ 2 individual spots for cows to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available, with 3/4" fitting
- ◎ Adaptable heating system for extra choice

Part No#	Length cm/ft.	Width cm/ft.	Overall Height(cm/ft.)	Drinking Height(cm/ft.)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT110B	110/3.6	65/2.1	43/1.4	28/0.9	125/31	50/13	3/4"	25pcs/Pallet

## HORSE WATERER 70

### Open-100W HEATED



- ◎ Single spot for cow to drink
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Inside solid polyurethane foam insulation keeps waterer ice-free in cold weather, water cool in summer, with no energy costs
- ◎ Offset feet make them easy to install. Rounded edge design protects animals from bruise
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available, with 3/4" fitting
- ◎ Adaptable heating system for extra choice

Part No#	Length cm/in	Width cm/in	Overall Height(cm/in)	Drinking Height(cm/in)	Capacity (l/gal)	Flow Rate (l/gal per min)	Braided Hose	Package
TPT07035220B LHT300	70/2.3	56/1.8	73/2.4	55/1.8	25/6	50/13	3/4"	1pc/Carton

# Livestock Waterers-Water Bowl

## WATER BOWL PLASTIC-L



- ◎ Suitable for dairy or beef cow
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ◎ Easy for installation and cleaning

Part No#	Length cm/in	Width cm/in	Overall Height(cm/in)	Connecting Fitting	Capacity (l/gal)	Flow Rate (l/gal per min)	Net Weight (kg/lbs)	Package
TRW405DB LL	40/16"	29.7/12"	28/11"	1/2"	9.3/2.5	6/2	2.7/5.9	2pcs/Carton

## WATER BOWL PLASTIC-S



- ◎ Suitable for dairy or beef cow
- ◎ Made from heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the trough more strength and long-life usage
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ◎ Easy for installation and cleaning

Part No#	Length cm/in	Width cm/in	Overall Height(cm/in)	Connecting Fitting	Capacity (l/gal)	Flow Rate (l/gal per min)	Net Weight (kg/lbs)	Package
TRW305DB LM	30/12"	22.5/9"	23.5/9"	1/2"	4/1	6/2	1.5/2.3	4pcs/Carton

# Livestock Waterers-Water Bowl

## **WATER BOWL PUSH PADDLE-L**



- ◎ Suitable for dairy or beef cow
- ◎ Made from heavy duty casting iron with enamel coating
- ◎ Stainless steel push paddle
- ◎ Smooth finish, rounded edges and flip-up paddle provide safety and comfort for the animal
- ◎ Easy for installation and cleaning

Part No#	Length cm/in	Width cm/in	Overall Height(cm/in)	Connecting Fitting	Capacity (l/gal)	Flow Rate (l/gal per min)	Net Weight (kg/lbs)	Package
TRW018	27/11"	25/10"	20.5/8"	1/2"	2.7/0.7	15/4	5.2/11.4	2pcs/Carton

## **WATER BOWL PUSH PADDLE-S**



- ◎ Suitable for dairy or beef cow
- ◎ Made from heavy duty casting iron with enamel coating
- ◎ Stainless steel push paddle
- ◎ Smooth finish, rounded edges and flip-up paddle provide safety and comfort for the animal
- ◎ Easy for installation and cleaning

Part No#	Length cm/in	Width cm/in	Overall Height(cm/in)	Connecting Fitting	Capacity (l/gal)	Flow Rate (l/gal per min)	Net Weight (kg/lbs)	Package
TRW017	25/10"	21/8"	17/7"	1/2"	1.7/0.45	15/4	4.7/10.3	2pcs/Carton

# Livestock Waterers-Water Bowl

## WATER BOWL STAINLESS



- ◎ Suitable for dairy or beef cow
- ◎ Made from 304 stainless steel
- ◎ Stainless steel push paddle
- ◎ Sealed and automatically controlled high flow rate float valve always keeps fresh water available
- ◎ Easy for installation and cleaning

Part No#	Length cm/in	Width cm/in	Overall Height(cm/in)	Connecting Fitting	Capacity (l/gal)	Flow Rate (l/gal per min)	Net Weight (kg/lbs)	Package
TRW400SS	30/12"	22.5/9"	23.5/9"	1/2"	4/1	6/2	1.4/3	20pcs/Carton

## WATER BOWL PLASTIC-G




- ◎ Suitable for dairy or beef cow
- ◎ Made from heavy-duty, impact resistant polypropylene. One shot injection process brings the trough more strength and long-life usage
- ◎ With deep of trough easy for drinking
- ◎ Easy for installation and cleaning

Part No#	Length cm/in	Width cm/in	Overall Height(cm/in)	Connecting Fitting	Capacity (l/gal)	Flow Rate (l/gal per min)	Net Weight (kg/lbs)	Package
TRW326G	25/10"	21/8"	17/7"	1/2"	2.6/0.68	15/4	1.2/2.6	6pcs/Carton

# Livestock House-Calf Hutch

## **CALF HUTCH 1500 WIDE**




- ◎ Made from food grade heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the calf hutch more strength and long-life usage, no rust forever and ECO friendly, -40°C strength testing passed
- ◎ Easy installation, labor saving, can be customized with wheel for easy moving
- ◎ Round designing make more loading in transportaiton
- ◎ Rounded edge design protects animal from bruise
- ◎ Inside more space from well designing, inside 2.88m<sup>2</sup>
- ◎ High standard galvanised steel rod or pipe and plastic fence can be customized
- ◎ Door can be cut left, right or middle
- ◎ Fence, buckets, feeders and hay rack are all for extra component purchasing

Part No#	Name	Material	Length cm	Width cm	Height cm
NTG114R	Calf Hutch	LLDPE(36.5KGS)	220	145	145
NFC15183H G	Steel Fence	Φ8mm hot dip galvanised steel with front 2 holders	180	150	100
NLT260SS	Round Bucket	Stainless steel	26	26	16
EMB106	Milk Bottle with Nipple	PE bottle, rubber nipple	31	11	11

# Livestock House-Calf Hutch

## CALF HUTCH 1250



- ◎ Made from food grade heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the calf hutch more strength and long-life usage, no rust forever and ECO friendly, -40°C strength testing passed
- ◎ Easy installation and moving, labor saving
- ◎ Large rear windows let more air flow inside, easy to operate
- ◎ Rounded edge design protects animal from bruise
- ◎ High standard galvanised steel rod or pipe and plastic fence can be customized
- ◎ Front fence is with two bucket holders, suitable for plastic or stainless buckets
- ◎ Fence, buckets, feeders and hay rack are all for extra component purchasing

Part No#	Name	Material	Length cm	Width cm	Height cm
NTG002	Calf Hutch	LLDPE	220	125	140
NFC120HG	Steel Fence	Φ8mm hot dip galvanised steel with front 2 holders	130/51	120	100
NLT260SS	Round Bucket	Stainless steel	26	26	16

# Livestock House-Calf Hutch

## CALF HUTCH 1100




- ◎ Made from food grade heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the calf hutch more strength and long-life usage, no rust forever and ECO friendly, -40°C strength testing passed
- ◎ Easy installation and moving, labor saving
- ◎ Large rear windows let more air flow inside, easy to operate
- ◎ Rounded edge design protects animal from bruise
- ◎ Inside more space from well designing
- ◎ High standard galvanised steel rod or pipe and plastic fence can be customized
- ◎ Front fence is with two bucket holders, suitable for plastic or stainless buckets
- ◎ Fence, buckets, feeders and hay rack are all for extra component purchasing

Part No#	Name	Material	Length cm	Width cm	Height cm
NTG103	Calf Hutch	LLDPE	200	110	138
NFC120HG	Steel Fence	Φ8mm hot dip galvanised steel with front 2 holders	130	120	100
NLT260SS	Round Bucket	Stainless steel	26	26	16
EMB106	Milk Bottle with Nipple	PE bottle, rubber nipple	31	11	11

# Livestock House-Calf Pen

## CALF PEN 1920



- ◎ Made from food grade heavy-duty, impact resistant polyethylene. One shot Roto-molded process brings the calf hutch more strength and long-life usage, no rust forever and ECO friendly
- ◎ -40°C strength testing passed
- ◎ Easy installation and moving, labor saving
- ◎ Round swing rear windows let more air flow inside
- ◎ Rounded edge design protects animal from bruise
- ◎ Bucket and holder, feeder and holder are all for extra component purchasing

Part No#	Name	Material	Length cm/in	Width cm/in	Height cm/in
NSG192C	Side Panel	LLDPE	192/75.6	7.5/2.95	110/43.3
NSG122WH	Rear Panel	LLDPE	122/48	7.5/2.95	110/43.3
NSG122WFM	Front Door Frame	LLDPE	122/48	6/2.36	110/43.3
NSG905WQ	Front Door	LLDPE	90.5/35.6	14.8/5.82	99.8/39.3
NZJ110	Milk Bottle Holder	Steel wire with powder coating	31/12.2	11/4.33	11/4.33
EMB106	Milk Bottle with Nipple	PE bottle, rubber nipple	31/12.2	11/4.33	11/4.33
ELT220	Milk Bucket	stainless steel	22/8.66	22/8.66	15/5.9
NZJ124SS	Milk Bucket Holder	stainless steel	22/8.66	22/8.66	15/5.9

# Veterinary Equipment- Accessories



**2000 Footbath**

Used for cow to prevent hairy warts, foot-rot and heel erosion  
Impact resistant plastic, no rust  
Length: 1935mm/76"  
Width: 825mm/32.5"  
Height: 180mm/7.1"



**2800 Footbath**

Used for cow to prevent hairy warts, foot-rot and heel erosion  
Impact resistant plastic, no rust  
Length: 2800mm/110"  
Width: 825mm/32.5"  
Height: 180mm/7.1"



**Teat Dip Cup  
Non-return**

Used for pre-milking and post-milking dipping  
non-return, more healthy usage  
Impact resistant plastic  
Volume 300ml  
With graduation  
Length 68mm, Width 68mm, Height 220mm

PK: 1pc/Bag  
Part No:  
Black: ETN030B  
Color can be customized

PK: 1pc/Bag  
Part No:  
Black: ETN280B  
Color can be customized

PK: 1pc/bag, 20pcs/Carton  
Part No:  
Blue: ETN002BL  
Green: ETN002G  
Package and color can be customized



**Teat Dip Cup  
Return**

Used for pre-milking and post-milking dipping  
Impact resistant plastic  
Volume 300ml  
With graduation  
Length 68mm, Width 68mm, Height 220mm

PK: 1pc/bag, 20pcs/Carton  
Part No:  
Blue: ETN004BL  
Green: ETN004G  
Package and color can be customized



**Teat Dip Cup  
Foamer**

Used for pre-milking and post-milking dipping  
non-return, more healthy usage  
Foamer, save liquid usage  
Impact resistant plastic  
Volume 300ml, with graduation  
Length 68mm, Width 68mm, Height 220mm

PK: 1pc/bag, 20pcs/Carton  
Part No:  
Blue: ETN005BL  
Green: ETN005G  
Package and color can be customized



**Teat Dip Cup Brush**

Made of high quality rubber  
Soft sur  
Ring is made of stainless steel  
Save the liquid  
Size: 80\*80\*25mm  
Brush middle hole dia. 15mm

PK: 10pcs/bag  
Part No:  
Green: ECB015PE  
Color can be customized

# Veterinary Equipment- Accessories



## Cow Immobilizer

Prevent the animals from kicking  
 Adjusted for different animal sizes  
 High standard galvanised  $\Phi 33$  middle and  $\Phi 26$ mm side pipe  
 Free-running springs with 9mm pin and 45° offset of the hole  
 Each end is with black cap  
 No assembling  
 Max  
 Length780mm,Width290mm,  
 Height26mm

PK:1pcs/Wrap  
 Part No:  
 Black:EAT002



## Test Panel

Used for mastitis testing  
 4 separated testing groove with diameter65mm,depth11.5mm  
 Impact resistant plastic  
 Total  
 Length275mm,Width160mm,  
 Height18mm

PK:50pcs/Carton  
 Part No:  
 White:ETN020W  
 Color can be customized



## Milk Bottles

Used for feeding single calves and taking medicines  
 Volume 2L,with graduation  
 With high standard food grade rubber teat  
 No assembling  
 Length112mm,Width112mm,  
 Height330mm

PK:50pcs/Carton  
 Part No:  
 EMB107  
 Package can be customized



## Calf Feeding Bucket

Complete with red teat and blue valve with pipe  
 Volume 8L  
 With plastic handle  
 Easy to move and clean  
 No assembling

PK:20pcs/Carton  
 Part No:  
 Blue: EMB104BL  
 Package can be customized



## Milk Bottles

Used for feeding single calves and taking medicines  
 Volume 2L,with graduation  
 With high standard food grade rubber teat  
 No assembling  
 Length110mm,Width110mm,  
 Height340mm

PK:50pcs/Carton  
 Part No:  
 EMB106  
 Package can be customized



## Calf Feeding Bucket

Complete with red teat and gray valve with pipe  
 Volume 8L  
 With steel handle  
 Easy to move and clean  
 No assembling

PK:10pcs/Carton  
 Part No:  
 EMB111  
 Package can be customized

# Veterinary Equipment- Accessories



## Cattle Weaner

Prevent calves, young or mature cattle from sucking in particular circumstances  
Impact resistant plastic  
Total Length 117mm, Width 76mm, Height 17mm

PK: 10pcs/bag, 480pcs/Carton  
Part No:  
Orange: ETN006J  
Color can be customized



## Milk Feeder

Suitable for steel gate calf pen  
Impact resistant plastic, no rust  
With 6pcs high quality teats  
With 2pcs high standard hot dip hook and bolt for installation  
Each compartment holds 1.8L  
Total volume of 37.7L  
Length 1140mm (44.9"), Width 246 mm (9.7"), Height 274mm (10.8")

PK: 1pc/Wrap  
Part No:  
Blue: EBS112BL  
Color can be customized



## Silicone Liners

Made of high quality silicone, tasteless, durable, easy to clean  
Suitable for bent tube connection  
Excellent performance at high temperature (200°C) and low temperature (-180°C)  
Perfect combination with steel cup, no leakage  
Top hole Φ24mm, end Φ8mm  
Size: 295mm

PK: 4pcs/bag  
Part No:  
Blue: EQT297BLSR  
Color can be customized



## Spare Valve with Teat for Calf Feeding Bucket

Used for calf feeding bucket  
With high standard food grade rubber teat, spare valve with pipe

PK: 5pcs/bag, 120pcs/Carton  
Part No:  
Blue valve: EMB102BL  
Package and color can be customized



## Respiratory Pump

Urgent help to new born calf  
Easy and smooth to pull  
Frame is made of aviation Alu.  
SUS304 stainless accessories  
High quality rubber liners

PK: 1pc/bag  
Part No:  
XBE705  
Package can be customized



## Silicone Liners

Made of high quality silicone, tasteless, durable, easy to clean  
Suitable for direct tube connection  
Excellent performance at high temperature (200°C) and low temperature (-180°C)  
Perfect combination with steel cup, no leakage

PK: 4pcs/bag  
Part No:  
Blue: EQT315BLSR  
Color can be customized

# Veterinary Equipment- Accessories



## 5L Dual Head Milking Machine

Convenient simple usage, flexible and stable  
Milking machine with stainless steel milker bucket  
24W,5L  
Vacuum pressure pump 50times/minutes  
AC plug in,charging is also available  
Size:30\*30\*25cm



## 14L Dual Head Milking Machine

Convenient simple usage, flexible and stable  
Milking machine with stainless steel milker bucket  
60W,14L  
Vacuum pressure pump 50times/minutes  
AC plug in,charging is also available  
Size:30\*30\*35cm



## 18L Dual Head Milking Machine

Convenient simple usage, flexible and stable  
Milking machine with stainless steel milker bucket  
60W,18L  
Vacuum pressure pump 50times/minutes  
AC plug in,charging is also available  
Size:30\*30\*40cm

PK:1pc/Carton  
Part No:  
Orange: EJN005AC  
Color can be customized

PK:1pc/Carton  
Part No:  
Orange: EJN014AC  
Color can be customized

PK:1pc/Carton  
Part No:  
Orange: EJN018AC  
Color can be customized



## Fodder Box for Calf Cabins

High quality food class plastic  
Combined feeding box  
Hung on the inside of the fence  
Powder coated top cover  
With galvanised rack inlay  
270 x 330 x 512 mm



## Toy for Pigs Anti-Bite Ball 75mm

High quality food class PU  
Dia.75mm  
Stainless or galvanized shackle  
Deforms while playing with it, but it won't break  
Hung up with a piece of chain combined with a shackle



## Toy for Pigs Anti-Bite Ball 55mm

High quality food class PU  
Dia.55mm  
Stainless or galvanized shackle  
Deforms while playing with it, but it won't break  
Hung up with a piece of chain combined with a shackle

PK:1pc/Carton  
Part No:  
Blue valve: EBS060G  
Package and color can be customized

PK:25pcs/Carton  
Part No:  
Stainless shackle:EPA006  
Galvanized shackle:EPA006GA  
Package can be customized

PK:25pcs/Carton  
Part No:  
Stainless shackle:EPA005  
Galvanized shackle:EPA005GA  
Package can be customized

# Veterinary Equipment- Accessories



## Cow Cleaning Brush Machine

Fully automatic control  
High quality brushes  
Brush rotates in every direction and nearly every angle  
Bush size: Dia.50cm  
Height 60cm

PK:1pcs/wrap  
Part No:  
ECB051  
Package can be customized



## Cattle and Horse Clipper

Strengthened nylon body  
350W Powerful and super quiet moto  
Blade pressure adjustment with rotatable button  
Removable in-take filter  
Assembled 1mm blade  
Blade cutting speed: 2500RPM



## Cattle and Horse Clipper

Strengthened nylon body  
350W Powerful and super quiet moto  
Blade pressure adjustment with rotatable button  
Removable in-take filter  
Matched 1mm and 3mm blade  
Blade cutting speed: 2500RPM

PK:5pcs/bag,5pcs/Carton  
Part No:  
ECB350  
Package and color can be customized



## Cow Cleaning Brush Machine

Fully automatic control  
High quality brushes  
Brush rotates in every direction and nearly every angle  
Bush size: Dia.50cm  
Height 90cm

PK:1pcs/wrap  
Part No:  
Blue:ECB151  
Package can be customized



## Rectangular Feeding Trough

Made of 1mm galvanized steel  
Continuous broad edge folded to the inside  
Size:500\*350\*210mm



## Triangle Feeding Trough

Made of 1mm galvanized steel  
Continuous broad edge folded to the inside  
Size:650\*450\*210mm

PK:2pcs/bag  
Part No:  
EBS045GA  
Package can be customized

# Veterinary Equipment- Accessories



## Earth Tube

Made from heavy-duty, impact resistant polyethylene.  
One shot Roto-molded process brings more strength and long-life usage  
Inside solid polyurethane foam insulation  
Size:400mm\*400mm\*720mm

PK:1pcs/bag  
Part No:  
Blue:ETH003BL  
Color can be customized



## Nutrition Lick Brick

5kg/pc  
for cattle or sheep  
Salt, baking soda, magnesium, iron, copper, cobalt, zinc, manganese, calcium, selenium, phosphorus, sodium, sulfur, vitamin  
Size:14.5\*14.5\*12cm

PK:4pcs/Carton  
Part No:  
EBS005  
Color can be customized



## Feeding Teat

Long serve life for cattle  
Non-toxic, tasteless  
Easy to use and clean  
Used in combination with valve  
Rubber material

PK:500pcs/bag  
Part No:  
EMB001RSR  
Package and color can be customized



## Nutrition Lick Brick Holder

Impact resistant plastic  
Tightly lock  
Different nutrition lick brick for cow, beef, sheep is available for extra purchasing

PK:100pcs/Carton  
Part No:  
Blue: EBS050BL  
Black: EBS050B  
Package and color can be customized



## Nutrition Lick Brick

10kg/pc  
for cattle or sheep  
Salt, baking soda, magnesium, iron, copper, cobalt, zinc, manganese, calcium, selenium, phosphorus, sodium, sulfur, vitamin  
Size:18.5\*18.5\*16cm

PK:120pcs/Pallet  
Part No:  
EBS010  
Package and color can be customized



## Feeding Teat

Long serve life for sheep,goat  
Non-toxic, tasteless  
Easy to use and clean  
Used in combination with valve  
Rubber material

PK:1000pcs/bag  
Part No:  
EMB002RSR  
Package and color can be customized

# Veterinary Equipment- Accessories



## Feeding Teat

Long serve life for cattle  
Non-toxic, tasteless  
Easy to use and clean  
Used in combination with valve  
Rubber material

PK:500pcs/bag  
Part No:  
EMB024B  
Package and color can be  
customized



## Feeding Teat

Long serve life for sheep, goat  
Non-toxic, tasteless  
Easy to use and clean.  
Used for bottle  
Silicone material

PK:1000pcs/bag  
Part No:  
EMB003R  
Package and color can be  
customized



## Feeding Teat

Long serve life for sheep, goat  
Non-toxic, tasteless  
Easy to use and clean.  
Used for bottle  
Silicone material

PK:1000pcs/bag  
Part No:  
EMB010  
Package and color can be  
customized



## Feeding Teat

Long serve life for cattle  
Non-toxic, tasteless  
Easy to use and clean  
Used in combination with valve  
Rubber material

PK:500pcs/bag  
Part No:  
EMB025  
Package and color can be  
customized



## Feeding Teat

Long serve life for cattle  
Non-toxic, tasteless  
Easy to use and clean  
Used in combination with valve  
Rubber material

PK:500pcs/bag  
Part No:  
EMB009  
Package and color can be  
customized



## Feeding Teat

Long serve life for cattle  
Non-toxic, tasteless  
Easy to use and clean  
Used in combination with valve  
Rubber material

PK:500pcs/bag  
Part No:  
EMB011  
Package and color can be  
customized

# Veterinary Equipment- Accessories



## 9 Egg Incubator

9 eggs  
Single power  
110-240V,20W  
1 floor tray  
Pink or Yellow

PK:1pcs/Carton  
Part No:  
Black:EIB009



## 15 Egg Incubator

15 eggs  
Single power  
110-240V,40W  
1 floor tray  
Automatically turn eggs

PK:1pcs/Carton  
Part No:  
Black:EIB015



## 48 Egg Incubator

48 eggs  
Single power  
110-240V,80W  
1 floor tray(flower basket or roller)  
Automatically turn eggs

PK:1pcs/Carton  
Part No:  
Black:EIB048



## 56 Egg Incubator

56 eggs  
Single power  
110-240V,80W  
1 floor tray(flower basket or roller)  
Automatically turn eggs

PK:1pcs/Carton  
Part No:  
Black:EIB056



## 96 Egg Incubator

96 eggs  
Single power  
110-240V,80W  
2 floor tray(flower basket or roller)  
Automatically turn eggs

PK:1pcs/Carton  
Part No:  
Black:EIB096



## 112 Egg Incubator

112 eggs  
Single power  
110-240V,80W  
2 floor tray(flower basket or roller)  
Automatically turn eggs

PK:1pcs/Carton  
Part No:  
Black:EIB112

# Electric Fencing-Insulators

## WOOD POST INSULATORS



### Screw-In Ring Insulator

Allow wire,poly wire,poly rope to be free running up to 4mm  
Galvanised steel with easy screw  
Semicircle supporting core  
Impact resistant plastic

PK:25pcs/Bag,700pcs/Carton

Part No:  
Black: INS001B  
Yellow: INS001Y  
Color,package,material can be customized



### Screw-In Ring Insulator

Allow wire,poly wire,poly rope to be free running up to 5mm  
Galvanised steel with easy screw  
Semicircle supporting core  
Impact resistant plastic

PK:25pcs/Bag,700pcs/Carton

Part No:  
Black: INS002B  
Yellow: INS002Y  
Color,package,material can be customized



### Screw-In Ring Insulator

Allow wire, poly wire,poly rope to be free running up to 5mm  
Galvanised steel with easy screw  
Semicircle supporting core  
Impact resistant plastic

PK:25pcs/Bag,400pcs/Carton

Part No:  
Black: INS004B  
Yellow: INS004Y  
Color,package,material can be customized



### Screw-In Ring Insulator

Allow wire, poly wire,poly rope to be free running  
Galvanised steel with easy screw  
Semicircle supporting core  
Impact resistant plastic

PK:25pcs/Bag,700pcs/Carton

Part No:  
Black: INS007B  
Yellow: INS007Y  
Color,package,material can be customized



### Screw-In Ring Insulator

Allow wire, poly wire,poly rope to be free running up to 4mm  
5.8mm galvanised steel with easy screw  
Impact resistant plastic

PK:25pcs/Bag,700pcs/Carton

Part No:  
Black: INS008B  
Yellow: INS008Y  
Color,package,material can be customized



### Screw-In Ring Insulator

Allow wire, poly wire,poly rope to be free running up to 5mm  
5.8mm galvanised steel with easy screw

PK:25pcs/Bag,700pcs/Carton

Part No:  
Black: INS061B  
Yellow: INS061Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## WOOD POST INSULATORS



### Screw-In Ring Insulator

Allow wire,poly wire,poly rope to be free running up to 4mm  
Galvanised steel with easy screw  
Impact resistant plastic

PK:25pcs/Bag,700pcs/Carton

Part No:  
Black: INS302B  
Yellow: INS302Y  
Color,package,material can be customized



### Screw-In Ring Insulator

Allow wire,poly wire,poly rope to be free running up to 4mm  
Galvanised steel with easy screw, ousside 33mm  
Impact resistant plastic

PK:25pcs/Bag,700pcs/Carton

Part No:  
Black: INS002BGA33  
Yellow: INS002YGA33  
Color,package,material can be customized



### Screw-In Ring Insulator

Allow wire, poly wire,poly rope to be free running up to 5mm  
Galvanised steel with easy screw  
Impact resistant plastic

PK:25pcs/Bag,700pcs/Carton

Part No:  
Black: INS303B  
Yellow: INS303Y  
Color,package,material can be customized



### Screw-In Insulator

Allow wire, poly wire,poly rope to be free running up to 2.5mm  
Galvanised steel with easy screw  
Impact resistant plastic

PK:50pcs/Bag,700pcs/Carton

Part No:  
Black: INS038B  
Yellow: INS038Y  
Color,package,material can be customized



### Screw-In Ring Insulator

Allow wire, poly wire,poly rope to be free running,up to 4mm  
5.8mm galvanised steel with easy screw  
Impact resistant plastic

PK:25pcs/Bag,700pcs/Carton

Part No:  
Black: INS500B  
Yellow: INS500Y  
Color,package,material can be customized



### Screw-In Ring Insulator

Allow wire, poly wire,poly rope to be free running  
Galvanised steel with easy screw  
Easy drill  
Impact resistant plastic

PK:25pcs/Bag,700pcs/Carton

Part No:  
Black: INS024B  
Yellow: INS024Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## WOOD POST INSULATORS



### Screw-In Ring Insulator

Allow wire, poly wire,poly rope to be free running, up to 5mm  
5.8mm galvanised steel with easy screw  
Impact resistant plastic

PK:25pcs/Bag,600pcs/Carton

Part No:  
Black: INS067B  
Yellow: INS067Y  
Color,package,material can be customized



### Screw-In Ring Insulator

Wire up to 4mm,tape up to 20mm  
Galvanised steel with easy screw  
Semicircle supporting core  
Impact resistant plastic

PK:25pcs/Bag,700pcs/Carton

Part No:  
Black: INS080B  
Yellow: INS080Y  
Color,package,material can be customized



### Screw-In Ring Insulator

Allow wire, poly wire,poly rope to be free running  
Galvanised steel with easy screw  
Semicircle supporting core  
Impact resistant plastic

PK:25pcs/Bag,300pcs/Carton

Part No:  
Black: INS111B  
Yellow: INS111Y  
Color,package,material can be customized



### Screw-In Ring Insulator

Allow wire, poly wire,poly rope to be free running up to 3.5mm  
Galvanised steel with easy screw  
Impact resistant plastic

PK:25pcs/Bag,600pcs/Carton

Part No:  
Black: INS301B  
Yellow: INS301Y  
Color,package,material can be customized



### Screw-In Insulator

Allow wire,poly wire,poly rope to be free running up to 7mm  
5.8mm galvanised steel with easy screw  
Impact resistant plastic

PK:50pcs/Bag,500pcs/Carton

Part No:  
Black: INS085B  
Yellow: INS085Y  
Color,package,material can be customized



### Screw-In Tape Insulator

Allow wire, poly wire,poly rope and tape to be free running  
Tape up to 40mm,Wire up to 5mm  
Galvanised steel with easy screw

PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS050B  
Yellow: INS050Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## INSULATORS



### T-Post Gate Anchor Insulator

Used for T post connection  
6mm galvanised steel with easy screws and double hook Anchor  
Double side opening

PK:10pcs/Bag,300pcs/Carton

Part No:  
Black: INS035B  
Yellow: INS035Y  
Color,package,material can be customized



### End Strain Screw-In Insulator

Used for corner or end of fence  
Screw: galvanised steel with easy screw  
Ear on top: stainless steel  
Impact resistant plastic

PK:25pcs/Bag,400pcs/Carton

Part No:  
Black: INS018B  
Yellow: INS018Y  
Color,package,material can be customized



### End Strain Screw-In Bobbin Insulator

Used for corner or end of fence  
Bobbin fully rotatable  
7mm galvanised steel with easy screw

PK:10pcs/Bag,300pcs/Carton

Part No:  
Black: INS031B  
Yellow: INS031Y  
Color,package,material can be customized



### Screw-In Gate Anchor Insulator

Used for spring and tape gate connection  
6mm galvanised steel with easy screw, 5mm for ear  
ear opening way can be customized

PK:10pcs/Bag,300pcs/Carton

Part No:  
Black: INS034B  
Yellow: INS034Y  
Color,package,material can be customized



### Screw-In Gate Anchor Insulator

Used for spring and tape gate connection  
7mm galvanised steel with easy screw  
5.2mm for ear  
ear opening way can be customized

PK:50pcs/Bag,500pcs/Carton



### End Strain Screw-In Bobbin Insulator

Used for corner or end of fence  
Bobbin fully rotatable  
7mm galvanised steel with easy screw  
Impact resistant plastic

PK:10pcs/Bag,100pcs/Carton

Part No:  
Black: INS037B  
Yellow: INS037Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## WOOD POST INSULATORS



### Screw-In Ring Insulator

Allow wire, poly wire,poly rope to be free running up to 5mm  
Galvanised steel with easy screw  
Impact resistant plastic

PK:25pcs/Bag,300pcs/Carton

Part No:  
Black: INS326B  
Yellow: INS326Y  
Color,package,material can be customized



### Screw-In Offset Insulator

Allow wire, poly wire,poly rope to be free running  
6mm galvanised steel with easy screw  
Impact resistant plastic

PK:25pcs/Bag,300pcs/Carton

Part No:  
Black: INS040B  
Yellow: INS040Y  
Color,package,material can be customized



### Screw-In Offset Insulator

Allow wire, poly wire,poly rope to be free running up to 5mm  
5.8mm galvanised steel with easy screw  
Length:total250mm,plastic50mm, screw55mm

PK:25pcs/Bag,500pcs/Carton

Part No:  
Black: INS010B  
Yellow: INS010Y  
Color,package,material can be customized



### Screw-In Offset Insulator

Allow wire, poly wire,poly rope to be free running,up to 4mm  
6mm galvanised steel with screw  
Extends 220mm to post,screw length 55mm  
Impact resistant plastic  
PK:10pcs/Bag,300pcs/Carton

Part No:  
Black: INS082B  
Yellow: INS082Y  
Color,package,material can be customized



### Screw-In Offset Insulator

Allow wire, poly wire,poly rope to be free running  
6mm galvanised steel  
Extends 220mm to post, screw length 55mm  
Impact resistant plastic

PK:10pcs/Bag,300pcs/Carton



### Screw-In Offset Insulator

Allow wire, poly wire,poly rope to be free running up to 5mm  
5.8mm galvanised steel with easy screw  
Length:total230mm,plastic55mm, screw 55mm

PK:10pcs/Bag,300pcs/Carton

Part No:  
Black: INS081B  
Yellow: INS081Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## WOOD POST INSULATORS



### Screw-In Offset Insulator

Allow wire, poly wire,poly rope to be free running up to 5mm  
5.8mm galvanised steel with easy screw  
Length:total150mm,plastic50mm, screw55mm

PK:25pcs/Bag,300pcs/Carton

Part No:  
Black: INS058B  
Yellow: INS058Y  
Color,package,material can be customized



### Screw-In Offset Insulator

Allow wire, poly wire,poly rope to be free running,up to 4mm  
6mm galvanised steel with screw  
Extends 220mm to post,screw length25mm  
Impact resistant plastic

PK:10pcs/Bag,300pcs/Carton



### Screw-In Offset Insulator

Allow wire, poly wire,poly rope to be free running,up to 5mm  
5.8mm galvanised steel with screw  
Extends 230mm to post,screw length 35mm  
Impact resistant plastic  
PK:10pcs/Bag,200pcs/Carton



### Screw-In Offset Insulator

Allow wire, poly wire,poly rope to be free running up to 5mm  
5.8mm galvanised steel with easy screw  
Length:total260mm,plastic60mm, screw 55mm

PK:10pcs/Bag,300pcs/Carton

Part No:  
Black: INS410B  
Yellow: INS410Y  
Color,package,material can be customized



### Screw-In Offset Tape Insulator

Tape up to 40mm, wire5mm  
5.8mm galvanised steel with easy screw  
Impact resistant plastic  
Length:total265mm,plastic35mm, screw 25mm

PK:10pcs/Bag,250pcs/Carton



### Roller Post Insulator

Allow wire, poly wire,poly rope to be free rolling  
Used for end or corner of fence  
Wire up to 8mm for rolling  
Stainless pin is also available  
Impact resistant plastic

PK:25pcs/Bag,500pcs/Carton

Part No:  
Black: INS533B  
Yellow: INS533Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## WOOD POST INSULATORS



### Claw Insulator

Allow wire, poly wire,poly rope to be free running  
Wire up to 6mm  
Impact resistant plastic

PK:25pcs/Bag,400pcs/Carton

Part No:  
Black: INS106B  
Yellow: INS106Y  
Color,package,material can be customized



### Claw Insulator

Allow wire, poly wire,poly rope and tape to be free running  
Tape up to 20mm wide  
Wire up to 3mm  
Impact resistant plastic

PK:20pcs/Bag,400pcs/Carton

Part No:  
Black: INS107B  
Yellow: INS107Y  
Color,package,material can be customized



### Claw Insulator

Allow wire, poly wire,poly rope to be free running  
Wire up to 3mm  
Impact resistant plastic

PK:25pcs/Bag,400pcs/Carton

Part No:  
Black: INS104B  
Yellow: INS104Y  
Color,package,material can be customized



### Claw Insulator

Allow wire, poly wire,poly rope to be free running  
Wire up to 9mm  
Impact resistant plastic

PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS608B  
Yellow: INS608Y  
Color,package,material can be customized



### Claw Insulator

Allow wire, poly wire,poly rope to be free running  
Wire up to 6mm  
Impact resistant plastic

PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS609B  
Yellow: INS609Y  
Color,package,material can be customized



### Claw Insulator

Allow wire, poly wire,poly rope to be free running  
Wire up to 8mm  
Impact resistant plastic

PK:25pcs/Bag,200pcs/Carton

Part No:  
Black: INS551B  
White: INS551W  
Color,package,material can be customized

# Electric Fencing-Insulators

## WOOD POST INSULATORS



### Claw Insulator

Allow wire, poly wire,poly rope to be free running  
Wire up to 4mm  
Impact resistant plastic

PK:20pcs/Bag,400pcs/Carton

Part No:  
Black: INS118B  
Yellow: INS118Y  
Color,package,material can be customized



### Claw Insulator

Allow wire, poly wire,poly rope to be free running  
Wire up to 6mm  
Impact resistant plastic

PK:25pcs/Bag,500pcs/Carton

Part No:  
White: INS523W  
Yellow: INS523Y  
Color,package,material can be customized



### Claw Insulator

Allow wire, poly wire,poly rope to be free running  
Wire up to 6mm  
Impact resistant plastic  
Two galvanized nails are included

PK:25pcs/Bag,250pcs/Carton

Part No:  
White: INS532W  
Yellow: INS532Y  
Color,package,material can be customized



### Claw Insulator

Allow wire, poly wire,poly rope to be free running  
Wire up to 5mm  
Impact resistant plastic

PK:30pcs/Bag,600pcs/Carton

Part No:  
Black: INS125B  
Yellow: INS125Y  
Color,package,material can be customized



### Clip Tape Insulator

Allow poly tape to be free running up to 40mm wide  
Wire up to 3mm  
Impact resistant plastic

PK:20pcs/Bag,300pcs/Carton

Part No:  
Black: INS108B  
Blue: INS108BL  
Color,package,material can be customized



### Clip Tape Insulator

Allow poly tape to be free running  
Wire up to 40mm wide  
Impact resistant plastic

PK:25pcs/Bag,400pcs/Carton

Part No:  
Black: INS525B  
White: INS525W  
Color,package,material can be customized

# Electric Fencing-Insulators

## WOOD POST INSULATORS

		
<p><b>Clip Tape Insulator</b></p> <p>Allow poly tape to be free running up to 54mm wide Wire up to 5mm Impact resistant plastic</p> <p>PK:25pcs/Bag,250pcs/Carton</p> <p>Part No: Black: INS563B White: INS563W Color,package,material can be customized</p>	<p><b>Clip Tape Insulator</b></p> <p>Multi purpose,allow poly tape to be free running up to 60mm wide Wire up to 10mm Impact resistant plastic</p> <p>PK:25pcs/Bag,250pcs/Carton</p> <p>Part No: Black: INS558B White: INS558W Color,package,material can be customized</p>	<p><b>Nail Insulator</b></p> <p>Allow wire, poly wire,poly rope to be free running Wire up to 3mm Impact resistant plastic Nail hole up to 5mm diameter</p> <p>PK:50pcs/Bag,500pcs/Carton</p> <p>Part No: Black: INS554B Yellow: INS554Y Color,package,material can be customized</p>
		
<p><b>Claw Tape Insulator</b></p> <p>Allow wire, poly wire,poly rope and tape to be free running Tape up to 40mm wide Wire up to 3mm Impact resistant plastic</p> <p>PK:20pcs/Bag,400pcs/Carton</p> <p>Part No: Black: INS109B White: INS109W Color,package,material can be customized</p>	<p><b>Nail Extended Insulator</b></p> <p>Allow wire, poly wire,poly rope to be free running Up to 5mm wire Extends wire 5" from post Impact resistant plastic One long galvanised nail is included</p> <p>PK:10pcs/Bag,250pcs/Carton</p> <p>Part No: Black: INS509B Yellow: INS509Y Color,package,material can be customized</p>	<p><b>Nail Insulator</b></p> <p>Allow wire, poly wire,poly rope to be free running Up to 6mm wire Impact resistant plastic Two galvanised nail are included</p> <p>PK:25pcs/Bag,500pcs/Carton</p> <p>Part No: Black: INS510B Yellow: INS510Y Color,package,material can be customized</p>

# Electric Fencing-Insulators

## WOOD POST INSULATORS



### Bobbin Corner Insulator

Used for corners, ends, dips and rises, wire up to 6mm with 5mm nail hole  
Impact resistant plastic  
Diameter 13mm

PK:50pcs/Bag,500pcs/Carton

Part No:  
Black: INS579B  
Red: INS579R  
Color,package,material can be customized



### Bobbin Corner Insulator

Used for corners, ends, dips and rises  
with 10mm nail hole  
Impact resistant plastic

PK:50pcs/Bag,500pcs/Carton

Part No:  
Black: INS501B  
Yellow: INS501Y  
Color,package,material can be customized



### Tape Corner Insulator

Up to 40mm tape  
304 Stainless steel  
Single side clip  
Impact resistant plastic

PK:10pcs/Bag,200pcs/Carton

Part No:  
Black: INS561B  
Yellow: INS561Y  
Color,package,material can be customized



### Nail Insulator

Allow wire, poly wire,poly rope to be free running  
Wire up to 3mm  
Impact resistant plastic  
Nail hole up to 4mm diameter

PK:50pcs/Bag,500pcs/Carton

Part No:  
Black: INS580B  
Yellow: INS580Y  
Color,package,material can be customized



### Bobbin Corner Insulator

Used for corners, ends, dips and rises  
with 11mm nail hole  
Impact resistant plastic

PK:50pcs/Bag,500pcs/Carton

Part No:  
Black: INS529B  
Yellow: INS529Y  
Color,package,material can be customized



### Tape Corner Insulator

Up to 40mm tape  
304 stainless steel  
Double side clips  
Impact resistant plastic

PK:10pcs/Bag,200pcs/Carton

Part No:  
Black: INS560B  
Yellow: INS560Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## WOOD POST INSULATORS

 <p><b>Nail On Insulator</b></p> <p>Allow wire, poly wire,poly rope to be free running Wire up to 2mm 4mm nail, 70mm length Impact resistant plastic</p> <p>PK:50pcs/Bag,700pcs/Carton</p> <p>Part No: Black: INS042B Yellow: INS042Y Color,package,material can be customized</p>	 <p><b>Staple On Insulator</b></p> <p>With 3.8mm Galvanised steel staple, total length 50mm, inside end opening 12mm before cutting point Plastic length 22.7mm,nail hole 5mm</p> <p>PK:100pcs/Bag,1000pcs/CTN</p> <p>Part No: Black: INS538B Yellow: INS538Y Color,package,material can be customized</p>	 <p><b>Gate Break Post Insulator</b></p> <p>Used for tape and spring connection Galvanised steel Steel side hole 8mm</p> <p>PK:200pcs/Carton</p> <p>Part No: Black: INS112B Blue: INS112BL Color,package,material can be customized</p>
 <p><b>Nail On Insulator</b></p> <p>Allow wire, poly wire,poly rope to be free running Wire up to 2.5mm 5mm nail, 100mm length Impact resistant plastic</p> <p>PK:50pcs/Bag,400pcs/Carton</p> <p>Part No: Black: INS041B Yellow: INS041Y Color,package,material can be customized</p>	 <p><b>Staple On Insulator</b></p> <p>With 4.2mm hot dip galvanised steel staple, total length 56mm, inside end opening 19.6mm before cutting point Plastic length 28mm,nail hole 5mm</p> <p>PK:100pcs/Bag,1000pcs/CTN</p> <p>Part No: Black: INS531B Yellow: INS531Y Color,package,material can be customized</p>	 <p><b>Gate Break Post Insulator</b></p> <p>Used for tape and spring connection Galvanised steel Steel side hole 8mm With galvanised connector (EFA038)</p> <p>PK:200pcs/Carton</p> <p>Part No: Black: INS117B Blue: INS117BL Color,package,material can be customized</p>

# Electric Fencing-Insulators

## WOOD POST INSULATORS

		
<p><b>Insultube</b></p> <p>Fastened with staples(staples not included) Available of pre-cut service With 4.15mm middle hole Diameter 13.5mm with tree legs  PK:50pcs/Bag, 1000pcs/Carton PK:25m/Roll, 3Roll/Carton</p> <p>Part No: 4"pre-cut/pc: INS526B 25m/roll: INS527B Color,package,material can be customized</p>	<p><b>Insultube with Aluminum</b></p> <p>Fastened with staples(staples not included) Available of pre-cut service With 6*5mm middle hole With Aluminum inside for high strength  PK:10pcs/Bag</p> <p>Part No: Black: INS590BAL Color,package,material can be customized</p>	<p><b>Pinlock Insulator</b></p> <p>Allow wire, poly wire,poly rope to be free running Self locking tightly, with easy removal of pin Impact resistant plastic  PK:25pcs/Bag,250pcs/Carton</p> <p>Part No: Black: INS070B Yellow: INS070Y Color,package,material can be customized</p>
		
<p><b>Corner Insultube</b></p> <p>Fastened with staples(staples not included) Available of pre-cut service With 5.15mm middle hole Diameter 13.5mm  PK:50pcs/Bag,1000pcs/Carton PK:2m/pc,50pcs/Carton</p> <p>Part No: 4"pre-cut/pc: INS520B 2m /roll: INS521B Color,package,material can be customized</p>	<p><b>Nail Insulator</b></p> <p>Fastened with staples(staples not included) Available of pre-cut service With 5mm middle hole Diameter 10.2mm  PK:50pcs/Bag,1000pcs/Carton PK:2m/pc,50pcs/Carton</p> <p>Part No: 4"pre-cut/pc:INS588B100 2m /roll: INS588B2000 12m /roll: INS588B Color,package,material can be customized</p>	<p><b>Pinlock Insulator</b></p> <p>Used for corner or end of fence Stainless steel with three 14mm hole Galvanised plate is also available  PK:20pcs/Bag,200pcs/Carton</p> <p>Part No: Black: INS083BLPSS Color,package,material can be customized</p>

# Electric Fencing-Insulators

## WOOD POST INSULATORS



### Pinlock Insulator

Allow wire, poly wire,poly rope to be free running, up to 8mm  
Twin spark guards increases distance from wire to post  
High strength pinlock

PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS072B  
Yellow: INS072Y  
Color,package,material can be customized



### Pinlock Insulator

Used for corner or end of fence  
Galvanised steel with three 14mm hole  
Stainless steel plate is also available

PK:20pcs/Bag,200pcs/Carton

Part No:  
Black: INS075B  
Yellow: INS075Y  
Color,package,material can be customized



### Pinlock Insulator

Used for corner or end of fence  
Galvanised steel with three 14mm hole with Aluminum connector  
Stainless steel plate is also available

PK:20pcs/Bag,200pcs/Carton

Part No:  
Black: INS088BGAAL  
Color,package,material can be customized



### Pinlock Insulator

Used for corner or end of fence  
Galvanised steel with three 14mm hole with galvanised split bolt joint clamp  
Stainless steel plate is also available

PK:20pcs/Bag,200pcs/Carton

Part No:  
Black: INS088BGAST  
Color,package,material can be customized



### Pinlock Insulator

Also used for corner or end of fence, wire up to 8mm  
With Nylon wheel  
Wheel fully rotatable

PK:20pcs/Bag,250pcs/Carton

Part No:  
Black: INS077B  
Yellow: INS077Y  
Color,package,material can be customized



### Pinlock Insulator

Used for corner or end of fence  
Galvanised steel with two 13mm holes  
Twin spark guards increases distance from wire to post  
High strength pinlock

PK:20pcs/Bag,200pcs/Carton

Part No:  
Black: INS076B  
Yellow: INS076Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## END INSULATORS



### End Strain Insulator

Deep grooves keep the wire in place and prevent twisting  
Strain use  
Wire up to 10mm  
PP material or fiber glass reforced plastic is available

PK:10pcs/Bag,200pcs/Carton

Part No:  
Black: INS078B  
White: INS078W  
Color,package,material can be customized



### End Strain Insulator

Deep grooves keep the wire in place and prevent twisting  
Wire up to 8mm  
PP material or fiber glass reforced plastic is available

PK:20pcs/Bag,400pcs/Carton

Part No:  
Black: INS073B  
White: INS073W  
Color,package,material can be customized



### End Strain Insulator

Used for corner or end of fence  
Wire up to 9mm  
PP material or fiber glass reforced plastic is available

PK:25pcs/Bag,400pcs/Carton

Part No:  
Black: INS074B  
White: INS074W  
Color,package,material can be customized



### End Strain Insulator

Used for corner or end of fence  
Wire up to 9mm  
POM material

PK:25pcs/Bag,400pcs/Carton

Part No:  
Blue: INS581BLPM  
Color,package,material can be customized



### End Strain Insulator

Used for corner or end of fence  
Wire up to 8mm  
PP material or fiber glass reforced plastic is available

PK:30pcs/Bag,600pcs/Carton

Part No:  
Black: INS079B  
Blue: INS079BL  
Color,package,material can be customized



### End Strain Insulator

Used for corner or end of fence  
Wire up to 5mm  
Impact resistant plastic

PK:10pcs/Bag,250pcs/Carton

Part No:  
Black: INS502B  
Yellow: INS502Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## STEEL POST INSULATORS



### Snap-on T-Post Insulator

Allow wire, poly wire,poly rope to be free running,  
Up to 6mm wire  
Impact resistant plastic

PK:25pcs/Bag,500pcs/Carton

Part No:  
Black: INS505B  
Yellow: INS505Y  
Color,package,material can be customized



### U-Post Extended Insulator

Allow wire, poly wire,poly rope to be free running  
Up to 5mm wire  
Extends wire 2" from face of chain link fence, 1" U-post  
Impact resistant plastic

PK:25pcs/Bag,500pcs/Carton

Part No:  
Black: INS513B  
Yellow: INS513Y  
Color,package,material can be customized



### Snap-on T-Post Insulator

Allow wire, poly wire,poly rope to be free running,  
Up to 9mm wire  
Impact resistant plastic

PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS564B  
White: INS564W  
Color,package,material can be customized



### Snap-on T-Post Extended Insulator

Allow wire, poly wire,poly rope to be free running,  
Up to 5mm wire  
Extends wire 5" from face of post  
Impact resistant plastic

PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS504B  
Yellow: INS504Y  
Color,package,material can be customized



### Snap-on T-Post Insulator

Allow wire, poly wire,poly rope to be free running,  
Up to 5mm wire  
Extends wire 2" from face of post  
Impact resistant plastic

PK:25pcs/Bag,400pcs/Carton

Part No:  
Black: INS506B  
Yellow: INS506Y  
Color,package,material can be customized



### Snap-on T-Post Insulator

Allow wire, poly wire,poly rope to be free running  
Up to 5mm wire  
Impact resistant plastic

PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS514B  
Yellow: INS514Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## STEEL POST INSULATORS



### Snap-on T-Post Insulator

Allow poly tape to be free running up to 53mm(2") wide  
Impact resistant plastic

PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS508B  
White: INS508W  
Color,package,material can be customized



### Snap-on T-Post Insulator

Allow poly tape to be free running up to 39mm(1.5") wide  
Impact resistant plastic

PK:25pcs/Bag,400pcs/Carton

Part No:  
Black: INS565B  
Yellow: INS565Y  
Color,package,material can be customized



### Screw-on T-Post Insulator

Allow wire, poly wire,poly rope to be free running up to 5mm  
Extends wire 1 1/2" from post  
Impact resistant plastic

PK:25pcs/Bag,400pcs/Carton

Part No:  
Black: INS516B  
Yellow: INS516Y  
Color,package,material can be customized



### U-Post Extended Insulator

Allow wire, poly wire,poly rope to be free running  
Up to 7mm wire  
Extends wire 3 3/4" from face of chain link fence, 2 1/2" U-post  
Impact resistant plastic  
PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS555B  
Yellow: INS555Y  
Color,package,material can be customized



### Pinlock Insulator

Allow wire, poly wire,poly rope to be free running,up to 8mm  
Self locking tightly, with easy removal of pin  
Extends 1" from face of post  
Impact resistant plastic

PK:50pcs/Bag,250pcs/Carton



### Pinlock Insulator

Allow wire, poly wire,poly rope to be free running  
Up to 5mm wire  
Impact resistant plastic

PK:25pcs/Bag,500pcs/Carton

Part No:  
Black: INS099B  
Yellow: INS099Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## STEEL POST INSULATORS



### Pinlock Insulator

Allow wire, poly wire,poly rope to be free running,up to 5mm  
Self locking tightly, with easy removal of pin

PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS100B  
Yellow: INS100Y  
Color,package,material can be customized



### Snap-on Pinlock Insulator

Allow wire, poly wire,poly rope to be free running,  
Up to 4mm wire  
Impact resistant plastic

PK:25pcs/Bag,500pcs/Carton

Part No:  
Black: INS537B  
Yellow: INS537Y  
Color,package,material can be customized



### Pinlock Insulator

Multi purpose,allow poly tape to be free running up to 40mm wide, wire up to 5mm  
Self locking tightly, with easy removal of pin  
Impact resistant plastic

PK:50pcs/Bag,400pcs/Carton

Part No:  
Black: INS557B  
White: INS557W  
Color,package,material can be customized



### Pinlock Insulator

Allow wire, poly wire,poly rope to be free running,  
one side up to 5mm wire  
one side up to 4mm wire  
Impact resistant plastic

PK:25pcs/Bag,400pcs/Carton

Part No:  
Black: INS124B  
Yellow: INS124Y  
Color,package,material can be customized



### Pinlock Insulator

Multi purpose,allow wire to be free running up to 4mm  
Self locking tightly, with easy removal of pin  
Impact resistant plastic

PK:50pcs/Bag,400pcs/Carton

Part No:  
Black: INS577B  
White: INS577W  
Color,package,material can be customized



### Offset Bracket with Pinlock Insulator

Offset for insertion into existing fence wires or for stapling onto posts  
Offset length 300 mm  
Hot dip galvanized 4mm wire with Impact resistant pinlock insulator

PK:10pcs/Bag,100pcs/Carton

Part No:  
With black Insulator: IZJ100  
Color,package,material can be customized

# Electric Fencing-Insulators

## ROUND ROD POST INSULATORS



### Round Post Insulator

Allow wire, poly wire,poly rope to be free running  
Wire up to 5mm  
Round post diameter is 8.5mm

PK:200pcs/Bag,2000pcs/CTN

Part No:  
Black: INS113B  
Blue: INS113BL  
Color,package,material can be customized



### Screw-on Round Post Insulator

Allow wire, poly wire,poly rope to be free running up to 6mm  
Extends wire 1" from post  
Round post diameter up to 14mm  
Impact resistant plastic

PK:25pcs/Bag,400pcs/Carton

Part No:  
Black: INS507B  
Yellow: INS507Y  
Color,package,material can be customized



### Round Post Insulator

Allow wire, poly wire,poly rope and tape to be free running  
Tape up to 40mm wide,wire up to 6mm, extends wire 1" from post,round post diameter up to 22mm,Impact resistant plastic

PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS530B  
White: INS530W  
Color,package,material can be customized



### Screw-on Round Post Insulator

Allow tape to be free running up to 38mm  
Round post diameter is 10mm  
Round post diameter up to 14mm  
Impact resistant plastic

PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS582W  
Yellow: INS582Y  
Color,package,material can be customized



### Screw-on Round Post Insulator

Allow wire, poly wire,poly rope and tape to be free running up to 5mm(top), 2.5mm(bottom)  
Tape 13mm(bottom)  
Round post diameter up to 15mm  
Impact resistant plastic

PK:25pcs/Bag,250pcs/Carton

Part No:  
Black: INS556B  
Yellow: INS556Y  
Color,package,material can be customized



### Screw-on Round Post Insulator

Allow wire, poly wire,poly rope to be free running up to 6mm  
Round post diameter up to 10mm  
Impact resistant plastic

PK:50pcs/Bag,1000pcs/Carton

Part No:  
Black: INS103B  
Yellow: INS103Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## POST TOPPER INSULATORS



### Post Cap Topper

Suitable for all T-posts  
Top and side fixing options for wire, poly wire, poly rope and tape to be free running  
Wire up to 7mm  
Tape up to 40mm

PK:10pcs/Bag,100pcs/Carton

Part No:  
Black: INS503B  
Yellow: INS503Y  
Color,package,material can be customized



### Post Safety Cap Topper

Suitable for wire, poly wire, poly rope to be free running  
Wire up to 5mm  
Impact resistant plastic

PK:25pcs/Bag,500pcs/Carton

Part No:  
Black: INS522B  
Yellow: INS522Y  
Color,package,material can be customized



### Rod Post Topper

Used for top of post  
Allow wire, poly wire, poly rope to be free running  
Galvanised steel  
Impact resistant plastic

PK:25pcs/Bag,400pcs/Carton

Part No:  
Black: INS016B  
Red: INS016R  
Color,package,material can be customized



### Post Cap Topper

Top and side fixing options for wire, poly wire, poly rope and tape to be free running  
Used for T or Y-Posts  
Top for Wire up to 10mm  
Side for tape up to 45mm

PK:10pcs/Bag,100pcs/Carton

Part No:  
Black: INS552B  
Yellow: INS552Y  
Color,package,material can be customized



### Pigtail Insulator Double Barrel

Used for top of post  
Allow wire, poly wire, poly rope to be free running  
Galvanised steel  
Impact resistant plastic

PK:25pcs/Bag,300pcs/Carton

Part No:  
Black: INS110B  
Blue: INS110BL  
Color,package,material can be customized



### Rod Post Topper

Used for top of post  
Allow wire, poly wire, poly rope to be free running up to 5mm  
Galvanised steel  
Impact resistant plastic

PK:25pcs/Bag,300pcs/Carton

Part No:  
Black: INS013B  
Yellow: INS013Y  
Color,package,material can be customized

# Electric Fencing-Insulators

## STEEL POST INSULATORS



### Offset Ring Insulator

Allow wire, poly wire,poly rope to be free running up to 6mm  
5.8mm galvanised steel with easy screw  
Length:total 275mm,plastic 60mm,thread 75mm  
PK:25pcs/Bag,300pcs/Carton

Part No:  
Black: INS460B  
Yellow: INS460Y  
Color,package,material can be customized



### Ring Insulator

Allow 4mm wire, poly wire,poly rope to be free running  
5.2mm galvanised steel with M6 thread, with 2pcs nuts  
Length:total 90mm,plastic 51mm,thread 30mm,steel outside39mm  
PK:25pcs/Bag,700pcs/Carton

Part No:  
Black: INS009B  
Yellow: INS009Y  
Color,package,material can be customized



### Ring Insulator

Allow wire, poly wire,poly rope to be free running up to 4mm  
5.2mm galvanised steel with M6 thread, with 2pcs nuts  
Length:total 90mm,plastic 53mm,thread 30mm,steel outside37mm Semicircle supporting core  
Impact resistant plastic

Part No:  
Black: INS068B  
Yellow: INS068Y  
Color,package,material can be customized



### Offset Ring Insulator

Allow wire, poly wire,poly rope to be free running  
Wire up to 4mm  
5.8mm galvanised steel with M6 thread, with 2pcs nuts  
Extends 220mm to post

PK:25pcs/Bag,300pcs/Carton

Part No:  
Black: INS062B  
Yellow: INS062Y  
Color,package,material can be customized



### Gate Anchor Insulator

Used for spring and tape gate  
6mm galvanised steel with M6 thread, 2pcs nuts;5mm for the ear  
The ear opening way can be customized

PK:10pcs/Bag,300pcs/Carton



### Corner Bobbin Insulator

Used for corner or end of fence  
6mm galvanised steel with M6 thread, with 2pcs nuts  
Bobbin fully rotatable

PK:10pcs/Bag,300pcs/Carton

Part No:  
Black: INS031BA1  
Yellow: INS031YBA1  
Color,package,material can be customized

# Electric Fencing-Insulators

## PORCELAIN INSULATORS



### Porcelain Bullnose End Strain Insulator

Deep grooves keep the wire in place and prevent twisting  
White glaze surface  
High strain use  
With 11mm hole  
Height 59mm, Diameter 42mm

PK:180pcs/Carton

Part No:  
White: INS093



### Porcelain Bobbin Insulator

Used for corner or end of fence  
White glaze finish  
High quality, long life usage with 13mm hole  
27.5mm height, diameter 41mm

PK:250pcs/Carton

Part No:  
White: INS092



### Porcelain Bobbin Insulator

Used for corner or end of fence  
White glaze finish  
High quality, long life usage with 13mm hole  
27mm height, diameter 49mm

PK:200pcs/Carton

Part No:  
White: INS091



### Porcelain Bullnose End Strain Insulator

Deep grooves keep the wire in place and prevent twisting  
White glaze surface  
High strain use  
With 9mm hole  
Height 51mm, Diameter 37mm

PK:180pcs/Carton

Part No:  
White: INS119W



### Porcelain Bobbin Insulator

Used for corner or end of fence  
White glaze finish  
High quality, long life usage with 11mm hole  
41mm height, diameter 40mm

PK:240pcs/Carton



### Porcelain Bobbin Insulator

Used for corner or end of fence  
White glaze finish  
High quality, long life usage with 10mm hole  
38mm height, diameter 43mm

PK:240pcs/Carton

Part No:  
White: INS617

# Electric Fencing-Gate Handle

## GATE HANDLE



### Gate Handle

Wide Handle safety flanges  
With top lock nuts  
6mm galvanised hook  
Φ15mm galvanised spring  
Impact resistant plastic handle Φ  
34mm(middle),Φ53mm(side)  
Plastic handle length 142mm

PK:20pcs/Carton  
Part No:  
Black: HDL001B  
Yellow: HDL001Y  
Color,package can be  
customized

### Gate Handle

Wide Handle safety flanges  
With top lock nuts  
6mm galvanised hook  
Φ 21mm galvanised spring  
Impact resistant plastic handle Φ  
34mm(middle),Φ53mm(side)  
Plastic handle length 142mm

PK:20pcs/Carton  
Part No:  
Black: HDL003B  
Yellow: HDL003Y  
Color,package can be  
customized

### Gate Handle

Wide Handle safety flanges  
With 5mm galvanised top hook  
Φ 15mm galvanised spring  
Impact resistant plastic handle Φ  
31mm(middle),Φ60mm(side)  
Plastic handle length 137mm

PK:20pcs/Carton  
Part No:  
Black: HDL007B  
Yellow: HDL007Y  
Color,package can be  
customized



### Gate Handle

Wide Handle safety flanges  
With 5mm galvanised top hook  
Φ 15mm galvanised spring  
Impact resistant plastic handle Φ  
31mm(middle),Φ62mm(side)  
Plastic handle length 137mm

PK:20pcs/Carton  
Part No:  
Black: HDL020B  
Blue: HDL020BL  
Color,package can be  
customized

### Gate Handle

Wide Handle safety flanges  
With 5mm galvanised top open  
hook,end sealed hook  
Impact resistant plastic handle Φ  
35mm(middle),Φ60mm(side)  
Plastic handle length 154mm

PK:20pcs/Carton  
Part No:  
Black: HDL005B  
Transparent: HDL005T  
Color,package can be  
customized

### Gate Handle

Wide Handle safety flanges  
With 5mm galvanised top hook  
Φ 18mm end sealed hook  
Impact resistant plastic handle Φ  
32mm(middle),Φ75mm(side)  
Plastic handle length 167mm

PK:20pcs/Carton  
Part No:  
Black: HDL167B  
Orange: HDL167J  
Color,package can be  
customized

# Electric Fencing-Gate Handle

## GATE HANDLE



### Gate Handle

Wide Handle safety flanges  
With 5mm galvanised top and end sealed hook  
Impact resistant plastic handle  $\Phi$  35mm(middle), $\Phi$ 60mm(side)  
Plastic handle length 154mm

PK:20pcs/Carton  
Part No:  
Black: HDL014B  
Yellow: HDL014Y  
Color,package can be customized

### Gate Handle

Wide Handle safety flanges  
With 5mm galvanised top open hook,end sealed hook  
5mm galvanised hook  
Impact resistant plastic handle  $\Phi$  30mm(middle), $\Phi$ 50mm(side)  
Plastic handle length 152mm

PK:20pcs/Carton  
Part No:  
Black: HDL008B  
Yellow: HDL008Y  
Color,package can be customized

### Gate Handle

Wide Handle safety flanges  
With 5mm galvanised top open hook,end sealed hook  
5mm galvanised hook  
Impact resistant plastic handle  $\Phi$  35mm(middle), $\Phi$ 60mm(side)  
Plastic handle length 154mm

PK:20pcs/Carton  
Part No:  
Black: HDL013B  
Yellow: HDL013Y  
Color,package can be customized



### Gate Handle

Double Handle safety flanges  
With 3.5mm galvanised top hook,3mm galvanised end sealed link  
Impact resistant plastic handle  $\Phi$  30mm(middle), $\Phi$ 49mm(side)  
Plastic handle length 138mm

PK:20pcs/Carton  
Part No:  
Black: HDL201B  
Yellow: HDL201Y  
Color,package can be customized

### Gate Handle

Double Handle safety flanges  
With 3.5mm galvanised top hook,3mm galvanised end sealed link  
Impact resistant plastic handle  $\Phi$  31mm(middle), $\Phi$ 51mm(side)  
Plastic handle length 140mm  
Comb tooth style soft handle

PK:20pcs/Carton  
Part No:  
Black: HDL202B  
Yellow: HDL202Y  
Color,package can be customized

### Heavy Duty Gate Handle

Double Handle safety flanges  
With 3mm thick galvanised plate top hook,1mm thick galvanised plate end ear  
Impact resistant plastic handle 28mm(middle),42mm(side)  
Plastic handle length 164mm  
Comb tooth style soft handle

PK:20pcs/Carton  
Part No:  
Black: HDL203B  
Yellow: HDL203Y  
Color,package can be customized

# Electric Fencing-Gate Handle

## GATE HANDLE



### Gate Handle

Wide Handle safety flanges  
5mm galvanised top sealed  
round link  
Φ21mm galvanised spring  
Impact resistant plastic handle Φ  
34mm(middle),Φ53mm(side)  
Plastic handle length 142mm

PK:20pcs/Carton  
Part No:  
Black: HDL004B  
Yellow: HDL004Y  
Color,package can be  
customized

### Gate Handle

Wide Handle safety flanges  
5mm galvanised top sealed  
round link  
Φ15mm galvanised spring  
Impact resistant plastic handle Φ  
34mm(middle),Φ53mm(side)  
Plastic handle length 142mm

PK:20pcs/Carton  
Part No:  
Black: HDL002B  
Yellow: HDL002Y  
Color,package can be  
customized

### Gate Handle

Wide Handle safety flanges  
With 5mm galvanised top hook  
Φ18mm galvanised spring  
Impact resistant plastic handle Φ  
27mm(middle),Φ67mm( top  
side),Φ60mm( bottom side)  
Plastic handle length 165mm

PK:20pcs/Carton  
Part No:  
Black: HDL009B  
Yellow: HDL009Y  
Color,package can be  
customized



### Heavy Duty Gate Handle

Double Handle safety flanges  
With 2mm thick double  
galvanised plate top hook,Φ8mm  
galvanised end ear  
Impact resistant plastic handle Φ  
30mm(middle),49mm(side)  
Plastic handle length 140mm  
Comb tooth style soft handle

PK:20pcs/Carton  
Part No:  
Black: HDL205B  
Yellow: HDL205Y  
Color,package can be  
customized

### Heavy Duty Rubber Gate Handle

Double Handle safety flanges  
With 2mm thick double  
galvanised plate top hook,Φ8mm  
galvanised end ear  
Impact resistant plastic handle Φ  
31mm(middle),57mm(side)  
Plastic handle length 127mm  
Comb tooth style soft handle

PK:20pcs/Carton  
Part No:  
Black: HDL204B  
Yellow: HDL204Y  
Color,package can be  
customized

### Gate Handle

Simple design for easy to use  
Impact resistant plastic  
Total length 200mm

PK:200pcs/Carton  
Part No:  
Black: HDL031B  
Yellow: HDL031Y  
Color,package can be  
customized

# Electric Fencing-Gate Handle and Kits

## GATE HANDLE AN KITS



### Gate handle with fitted gate spring

Wide Handle safety flanges  
With 5mm galvanised top hook  
Φ 23mm galvanised spring with length 610mm,extending to 5m  
Impact resistant plastic handle Φ 31mm(middle),Φ60mm(side)  
Plastic handle length 137mm

PK:20pcs/Carton  
Part No:  
Black: HDL016B  
Yellow: HDL016Y  
Color,package can be customized



### Gate handle with fitted gate spring

Wide Handle safety flanges  
With 5mm galvanised top hook  
Φ 20mm galvanised spring with length 590mm,extending to 3m  
Impact resistant plastic handle Φ 31mm(middle),Φ60mm(side)  
Plastic handle length 137mm

PK:20pcs/Carton  
Part No:  
Black: HDL011B  
Yellow: HDL011Y  
Color,package can be customized



### Gate Handle Spring Kits

Wide Handle safety flanges  
Handle(HDL001B)  
With high standard galvanised spring(HDL051) extending to 5m

PK:20pcs/Carton  
Part No:  
Black: HDL012B  
Yellow: HDL012Y  
Color,package can be customized



### Gate Handle Splicer Clip Kits

Wide Handle safety flanges  
Handle(HDL005)  
With high standard galvanised splicer clip(EON012) for tape up to 40mm wide

PK:20pcs/Carton  
Part No:  
Black: HDL101B40  
Yellow: HDL101Y40  
Color,package can be customized



### Gate Handle Splicer Clip Kits

Wide Handle safety flanges  
Handle(HDL005)  
With high standard galvanised splicer clip(EON011) for tape up to 20mm wide

PK:20pcs/Carton  
Part No:  
Black: HDL101B20  
Yellow: HDL101Y20  
Color,package can be customized



### Gate Handle

Wide Handle safety flanges  
6mm galvanised hook  
Impact resistant plastic handle Φ 29mm(middle),Φ50mm(side)  
Plastic handle length 142mm

PK:20pcs/Carton  
Part No:  
Black: HDL010B  
Color,package can be customized

# Electric Fencing-Spring

## SPRING



### Gate Spring

High tensile strength  
 $\Phi$  50mm galvanised spring with length 25cm(125 coils) by using  $\Phi$ 2mm spring wire  
 Extending to 5m  
 Hot dip galvanised spring is also available

PK:30pcs/Carton  
 Part No:  
 HDL051  
 Package and coils can be customized



### Gate Spring

High tensile strength  
 $\Phi$  50mm galvanised spring with length 32cm (160 coils) by using  $\Phi$ 2mm spring wire  
 Extending to 7m

PK:30pcs/Carton  
 Part No:  
 HDL052  
 Package and coils can be customized



### Gate Spring

High tensile strength  
 $\Phi$  50mm galvanised spring with length 32cm (160 coils) by using  $\Phi$ 2mm spring wire  
 Extending to 7m  
 White plastic powder coating

PK:30pcs/Carton  
 Part No:  
 HDL052WPS  
 Package and coils can be customized



### Tension Measuring Spring

Keep wires taut during temperature changes  
 High standard  $\Phi$  6mm for spring and  $\Phi$  4.5mm for hook  
 Dia. of spring 39.5mm  
 stainless steel wire

PK:12pcs/Carton  
 Part No:  
 HDL021SS  
 Package can be customized



### Tension Measuring Spring

Keep wires taut during temperature changes  
 High standard  $\Phi$  2.2mm for spring and  $\Phi$  4mm for hook  
 Dia. of spring 22mm, length 13cm  
 Total length 20cm  
 stainless steel wire

PK:50pcs/Carton  
 Part No:  
 HDL023  
 Package can be customized



### Tension Measuring Spring

Install in each fence line together with strainer.  
 Keep wires taut during temperature changes  
 High standard  $\Phi$  5mm galvanised wire

PK:12pcs/Carton  
 Part No:  
 HDL022  
 Package can be customized

# Electric Fencing-Gate Handle Kits/Spring

## GATE HANDLE KITS



### Gate Handle Spring Kits

1 pc wide Handle safety flanges Handle with spring(HDL016B)  
2 pcs screw-in gate anchor insulator(INS034B)

PK:1pcs/bag,15pcs/Carton  
Part No:  
Black: HDL108B  
Yellow: HDL108Y  
Color,package can be customized



### Gate Handle Spring Kits

1 pc wide Handle safety flanges Handle(HDL007B)  
1 pc screw-in ring Insulator(INS002B)  
1 pc screw-in gate anchor insulator(INS034B)  
1 pc 5m spring (HDL051)

PK:1pcs/bag,15pcs/Carton  
Part No:  
Black: HDL107B  
Yellow: HDL107Y  
Color,package can be customized



### Gate Handle Spring Kits

1 pc wide Handle safety flanges Handle(HDL007B)  
2 pcs screw-in gate anchor insulators(INS034B)  
1 pc 5m spring (HDL051)

PK:1pcs/bag,15pcs/Carton  
Part No:  
Black: HDL109B  
Yellow: HDL109Y  
Color,package can be customized



### Gate Handle Spring Kits

Wide Handle safety flanges Handle(HDL010B)  
With high standard galvanised tension spring(HDL023)

PK:20pcs/Carton  
Part No:  
Black: HDL124B  
Color,package can be customized



### Gate Handle Spring Kits

1 pc wide Handle safety flanges Handle with spring(HDL016B)  
1 pc screw-In ring Insulator(INS004B)  
1 pc screw-in gate anchor insulator(INS034B)

PK:1pcs/bag,15pcs/Carton  
Part No:  
Black: HDL116B  
Yellow: HDL116Y  
Color,package can be customized



### Gate Handle Spring Kits

1 pc wide Handle safety flanges Handle(HDL167J)  
2 pcs pin lock insulator with stainless steel(INS083BPRESS)  
1 pc white powder coated 7m spring (HDL052WPS)

PK:12pcs/Carton  
Part No:  
HDL126JBPESSWPS  
Package can be customized

# Electric Fencing-Gate Handle Kits

## GATE HANDLE KITS



### Gate Handle Spring Kits

1 pc Wide Handle safety flanges Handle(HDL005B)  
 1 pc screw-in gate anchor insulator(INS034B)  
 1 pc screw-In ring Insulator(INS002B)  
 1 pc 5m spring (HDL051)

PK:1pcs/bag,15pcs/Carton  
 Part No:  
 Black: HDL111B  
 Yellow: HDL111Y  
 Color,package can be customized

### Gate Handle Spring Kits

1 pc wide Handle safety flanges Handle(HDL005B)  
 2 pcs screw-in gate anchor insulator(INS034B)  
 1 pc 5m spring (HDL051)

PK:1pcs/bag,15pcs/Carton  
 Part No:  
 Black: HDL110B  
 Yellow: HDL110Y  
 Color,package can be customized

### Gate Handle Kits

1 pc wide Handle safety flanges Handle(HDL005B)  
 2 pcs screw-in gate anchor insulator(INS034B)

PK:1pcs/bag,15pcs/Carton  
 Part No:  
 Black: HDL208B  
 Yellow: HDL208Y  
 Color,package can be customized



### Gate Handle Spring Kits

1 pc wide Handle safety flanges Handle(HDL005T)  
 1 pc pin lock Insulator(INS072B)  
 1 pc pin lock Insulator with 3 holes plate and wire connector (INS088B)  
 1 pc 5m spring (HDL051)

PK:1pcs/bag,15pcs/Carton  
 Part No:  
 Black: HDL105B  
 Transparent: HDL105T  
 Color,package can be customized

### Gate Handle Spring Kits

1 pc Wide Handle safety flanges Handle(HDL005B)  
 1 pc screw-in gate anchor insulator(INS034B)  
 1 pc screw-in ring Insulator(INS067B)  
 1 pc 5m spring (HDL051)

PK:1pcs/bag,15pcs/Carton  
 Part No:  
 Black: HDL100B  
 Yellow: HDL100Y  
 Color,package can be customized

### Gate Handle Spring Kits

1 pc wide Handle safety flanges Handle with 5m spring(HDL012B)  
 1 pc screw-in gate anchor insulator(INS034B)  
 1 pc screw-in ring Insulator(INS002B)

PK:1pcs/bag,15pcs/Carton  
 Part No:  
 Black: HDL102B  
 Yellow: HDL102Y  
 Color,package can be customized

# Electric Fencing-Polywire

## POLYWIRE AND ROPE



### Polywire-2mm

Wire diameter 2mm  
 3×0.15mm stainless steel or customized  
 PE,UV stabilized  
 Color: red or customized  
 Length:200, 500m or customized

PK:20 rolls/Carton  
 Part No:  
 ERT015  
 Package,color,stainless wire and meters can be customized

### Polywire-2mm

Wire diameter 2mm  
 9×0.15mm stainless steel or customized  
 PE,UV stabilized  
 Color: balck+white or customized  
 Length:200, 500m or customized

PK:12 rolls/Carton  
 Part No:  
 200m/roll: ERT065BW200  
 500m/roll: ERT065BW500  
 Package,color,stainless wire and meters can be customized

### Polywire-2mm

Wire diameter 2mm  
 6×0.2mm stainless steel or customized  
 PE,UV stablized  
 Color: red/white or customized  
 Length:200, 500m or customized

PK:20 rolls/Carton  
 Part No:  
 ERT051  
 Package,color,stainless wire and meters can be customized



### Polywire-2mm

Wire diameter 2mm  
 6×0.15mm stainless steel or customized  
 PE,UV stabilized  
 Color: yellow+white or customized  
 Length:200, 500m or customized

PK:30 rolls/Carton  
 Part No:  
 200m/roll: ERT165WY200  
 500m/roll: ERT165WY500  
 Package,color,stainless wire and meters can be customized

### Polywire-2mm

Wire diameter 2mm  
 6×0.15mm stainless steel or customized  
 PE,UV stabilized  
 Color: orange+white or customized  
 Length:200, 500m or customized

PK:20 rolls/Carton  
 Part No:  
 200m/roll: ERT065AWJ200  
 Package,color,stainless wire and meters can be customized

### Polywire-2.5mm

Wire diameter 2.5mm  
 9×0.2mm stainless steel or customized  
 PE,UV stabilized  
 Color: balck+white or customized  
 Length:200, 500m or customized

PK:20 rolls/Carton  
 Part No:  
 200m/roll: ERT014BW200  
 500m/roll: ERT014BW500  
 Package,color,stainless wire and meters can be customized

# Electric Fencing-Polywire and Rope

## POLYWIRE AND ROPE



### Polywire-2.5mm

Wire diameter 2.5mm  
 9×0.15mm stainless steel or  
 customized  
 PE,UV stablized  
 Color: orange or customized  
 Length:200, 500m or customized



### Polywire-2.5mm

Wire diameter 2.5mm  
 6×0.2mm stainless steel or  
 customized  
 PE,UV stablized  
 Color: orange or customized  
 Length:200, 500m or customized



### Polywire-2.5mm

Wire diameter 2.5mm  
 3×0.2mm stainless steel or  
 customized  
 PE,UV stablized  
 Color: orange or customized  
 Length:200, 500m or customized

PK:12 rolls/Carton  
 Part No:  
 250m/roll: ERT016J250  
 Package,color,stainless wire and  
 meters can be customized

PK:6 rolls/Carton  
 Part No:  
 500m/roll: ERT007J500  
 Package,color,stainless wire and  
 meters can be customized

PK:12 rolls/Carton  
 Part No:  
 200m/roll: ERT008J200  
 Package,color,stainless wire and  
 meters can be customized



### Polywire-2.5mm

Wire diameter 2.5mm  
 6×0.15mm stainless steel or  
 customized,PE,UV stablized  
 Color: orange or customized  
 Length:200, 500m or customized



### Polywire-3mm

Wire diameter 3mm  
 9×0.2mm stainless steel or  
 customized,PE,UV stablized  
 Color: blue+white or customized  
 Length:200, 500m or customized



### Polyrope-6mm

Wire diameter 6mm  
 6×0.2mm stainless steel or  
 customized,PE,UV stablized  
 Color: white or customized  
 Length:200, 250m or customized  
 Plastic spool

PK:20 rolls/Carton  
 Part No:  
 ERT003  
 Package,color,stainless wire and  
 meters can be customized

PK:10 rolls/Carton  
 Part No:  
 200m/roll: ERT039BLW200  
 500m/roll: ERT039BLW500  
 Package,color,stainless wire and  
 meters can be customized

PK:6 rolls/Carton  
 Part No:  
 ERT201  
 Package,color,stainless wire and  
 meters can be customized

# Electric Fencing-Polytape

## POLYTAPE



**Polytape-10mm**

Tape width 10mm ,plastic spool  
 $4 \times 0.15$ mm stainless steel or  
 customized,PE,UV stabilized  
 Color: yellow+red or customized  
 Length:200, 400m or customized



**Polytape-12mm**

Tape width 12mm ,plastic spool  
 $5 \times 0.3$ mm stainless steel or  
 customized, PE,UV stabilized  
 Color: white/black or customized  
 Length:200,400m or customized



**Polytape-12mm**

Tape width 12mm ,plastic spool  
 $5 \times 0.2$ mm stainless steel or  
 customized, PE,UV stabilized  
 Color: white/black or customized  
 Length:200,400m or customized

PK:16 rolls/Carton  
 Part No:  
 200m/roll: ERT095YR200  
 Package,color,stainless wire and  
 meters can be customized

PK:16 rolls/Carton  
 Part No:  
 200m/roll: ERT097R200  
 Package,color,stainless wire and  
 meters can be customized

PK:8 rolls/Carton  
 Part No:  
 ERT052  
 Package,color,stainless wire and  
 meters can be customized



**Polytape-12mm**

Tape width 12mm ,plastic spool  
 $4 \times 0.15$ mm stainless steel or  
 customized,PE,UV stabilized  
 Color: white or customized  
 Length:200, 400m or customized



**Polytape-20mm**

Tape width 20mm ,plastic spool  
 $6 \times 0.15$ mm stainless steel or  
 customized,PE,UV stabilized  
 Color: orange+white or  
 customized  
 Length:200, 400m or customized



**Polytape-20mm**

Tape width 20mm  
 $4 \times 0.15$ mm stainless steel or  
 customized,PE,UV stabilized  
 Color: white or customized  
 Length:200, 400m or customized  
 Plastic spool

PK:8 rolls/Carton  
 Part No:  
 200m/roll: ERT046W200  
 400m/roll: ERT046W400  
 Package,color,stainless wire and  
 meters can be customized

PK:8 rolls/Carton  
 Part No:  
 200m/roll: ERT025WJ200  
 400m/roll: ERT025WJ400  
 Package,color,stainless wire and  
 meters can be customized

PK:8 rolls/Carton  
 Part No:  
 ERT020  
 Package,color,stainless wire and  
 meters can be customized

# Electric Fencing-Polytape

## POLYTAPE



### Polytape-20mm

Tape width 20mm  
 4×0.2mm stainless steel or  
 customized,PE,UV stabilized  
 Color: green or customized  
 Length:200, 400m or customized  
 with plastic spool

PK:8 rolls/Carton  
 Part No:  
 ERT048  
 Package,color,stainless wire and  
 meters can be customized



### Polytape-40mm

Tape width 40mm ,plastic spool  
 10×0.15mm stainless steel or  
 customized,PE,UV stabilized  
 Color: red+white or customized  
 Length:200, 400m or customized

PK:4 rolls/Carton  
 Part No:  
 200m/roll: ERT026WR200  
 400m/roll: ERT026WR400  
 Package,color,stainless wire and  
 meters can be customized



### Polytape-40mm

Tape width 40mm,plastic spool  
 2\*0.25mm+13×0.2mm stainless  
 steel or customized,PE,UV  
 stabilized  
 Color: white or customized  
 Length:200, 400m or customized

PK:8rolls/Carton  
 Part No:  
 200m/roll: ERT045WG200  
 Package,color,stainless wire and  
 meters can be customized



### Polytape-36mm

Tape width 36mm  
 15×0.2mm stainless steel or  
 customized,PE,UV stabilized  
 Color: white or customized  
 Length:200, 400m or customized  
 Plastic spool

PK:8 rolls/Carton  
 Part No:  
 ERT102  
 Package,color,stainless wire and  
 meters can be customized



### Polytape-40mm

Tape width 40mm,plastic spool  
 10×0.25mm stainless steel or  
 customized,PE,UV stabilized  
 Color: white or customized  
 Length:200, 400m or customized

PK:8 rolls/Carton  
 Part No:  
 ERT047  
 Package,color,stainless wire and  
 meters can be customized



### Polytape-40mm

Tape width 40mm,plastic spool  
 8×0.15mm stainless steel or  
 customized,PE,UV stabilized  
 Color: white or customized  
 Length:200, 400m or customized

PK:8 rolls/Carton  
 Part No:  
 ERT101W200  
 Package,color,stainless wire and  
 meters can be customized

# Electric Fencing-Fence Cable and Wire

## FENCE CABLE AND WIRE



### High Voltage Cable

Wire diameter 6mm  
PE+PVC double insulation  
High voltage-proof  
Single core with 2.5mm  
Aluminum wire  
Color: white+black or customized

PK:1 roll/Bag  
Part No:  
ERT625BWAL  
Package,color, and meters/roll  
can be customized



### High Voltage Cable

Wire diameter 6mm  
PE+PVC double insulation  
High voltage-proof  
Single core with 1.6mm high  
standard galvanised steel wire  
Color: white+black or customized

PK:1 roll/Bag  
Part No:  
ERT616BWGA  
Package,color, and meters/roll  
can be customized



### Fence Aluminum Wire

Wire diameter 1.8 mm  
Single core without insulation  
Aluminum

Length, diameter can be  
customized



### High Voltage Cable

Wire diameter 8mm  
PE+PVC double insulation  
High voltage-proof  
Single core with 2.5mm high  
standard galvanised steel wire  
Color: white+black or customized

PK:1 roll/Bag  
Part No:  
ERT825BWHG  
Package,color, and meters/roll  
can be customized



### High Voltage Cable

Wire diameter 8mm  
PE+PVC double insulation  
High voltage-proof  
Single core with 1.6mm high  
standard galvanised steel wire  
Color: white+black or customized

PK:1 roll/Bag  
Part No:  
ERT816BWHG  
Package,color, and meters/roll  
can be customized



### Stainless steel Wire

Wire diameter 0.9mm  
Stainless steel  
Single core without insulation  
380m/roll  
Length, diameter can be  
customized

PK:1 roll/Bag  
Part No:  
ERT609SS380  
Package, and meters/roll can be  
customized

# Electric Fencing-Fence Wire and Netting

## FENCE WIRE AND NETTING



### Black Annealed Wire 12GA

Wire diameter 12GA(2.7mm)  
Iron material  
Black annealed  
Big roll  
10rolls/coil  
Wire can be customized



### Hot Galvanized Wire 12GA

Wire diameter 12GA(2.7mm)  
Iron material  
Hot galvanized  
Big roll  
10rolls/coil  
Wire can be customized




### Hot Galvanized Wire 9GA

Wire diameter 9GA(3.8mm)  
Iron material  
Hot galvanized  
Big roll  
10rolls/coil  
Wire can be customized

PK:10rolls/coil  
Part No:  
4.5kg: ERT045LCA12GA  
22.5kg: ERT225LCA12GA  
Package,color, and weight/roll  
can be customized

PK:10rolls/coil  
Part No:  
4.5kg: ERT045HG12GA  
22.5kg: ERT225HG12GA  
Package,color, and weight/roll  
can be customized

PK:10rolls/coil  
Part No:  
4.5kg: ERT045HG9GA  
22.5kg: ERT225HG9GA  
Package,color, and weight/roll  
can be customized



### Electric Sheep Netting 50m

High 90cm, long 50m, 15cm apart, 9 horizontal  
Top: polywire(6\*0.2mmSS), middle 7 polywire(3\*0.2mmSS), Bottom free of current  
14 stable plastic post with D spike  
with free repair kit



### Electric Poultry Netting 50m

High 120cm, long 50m, 15cm apart, 11 horizontal Top: 2 polywire(6\*0.2mmSS), middle 7 polywire(3\*0.2mmSS), Bottom 2 wires free of current  
14 stable plastic post with D spike  
with free repair kit



### Poultry Netting Non-conducting

High 120cm, long 25/50m  
5.5\*5.5cm mesh net  
Wire Dia. 1mm  
With bottom and top wire  
Free of current  
Stable plastic post with D spike  
with free repair kit

PK:1 set/Carton  
Part No:  
EJW090E50915  
Package,color, and meters/roll  
can be customized

PK:1 set/Carton  
Part No:  
EJW120E501115  
Package,color, and meters/roll  
can be customized

PK:1 set/Carton  
Part No:  
EJW120N5055  
Package,color, and meters/roll  
can be customized

# Electric Fencing-Strainer

## STRAINER



### Spring Clip Strainer

Used for high strain  
High standard Pre-galvanised plate with Aluminum spool  
Spring wire clip for easy strain  
Two holes design let the wire run freely, up to 4mm

PK:50pcs/Carton  
Part No: EFA050  
Package can be customized



### Insulated Spring Clip Strainer

Perfect for end post high strain  
High standard Pre-galvanised plate with Aluminum spool  
Spring wire clip for easy strain  
Impact resistant plastic  
Two holes design let the wire run freely, up to 4mm


PK:50pcs/Carton  
Part No:  
White: EFA054W  
Package, and plastic material can be customized



### Insulated Spring Clip Strainer

Perfect for end post high strain  
High standard Pre-galvanised plate with Aluminum spool  
Spring wire clip for easy strain  
Impact resistant plastic  
Two holes design let the wire run freely, up to 4mm

PK:50pcs/Carton  
Part No:  
White: EFA061W  
Package, and plastic material can be customized



### Insulated Spring Clip Strainer

Perfect for end post high strain  
High standard Pre-galvanised plate with Aluminum spool  
Spring wire clip for easy strain  
Impact resistant plastic  
Two holes design let the wire run freely, up to 4mm

PK:50pcs/Carton  
Part No:  
White: EFA058W  
Black: EFA058B  
Package, and plastic material can be customized



### In Line Strainer

Used for high strain, not need to cut the wire  
High standard galvanised wire with Aluminum spool  
Spring wire clip for easy strain  
Two holes design let the wire run freely, up to 5mm

PK:50pcs/Carton  
Part No: EFA055  
Package can be customized



### Wire tensioner with wheel

Suitable for tensioning wire  
Wire up to 5 mm  
Zinc casting Wheel  
Dacromet surface  
Green painting is also available

PK:50pcs/Carton  
Part No:  
No.4: EFA063  
No.3: EFA062  
Package can be customized

# Electric Fencing-Strainer

## STRAINER



### Compression Spring in Line Strainer

Used for high strain  
High standard Pre-galvanised plate with Aluminum spool  
stainless spring wire clip for easy strain  
Zinc alloy flapper

PK:50pcs/Carton  
Part No: EFA067  
Package can be customized



### Line Strainer

No need to cut wire before straining, ideal for straining old fences and for tensioning trellising wires  
Impact resistant plastic  
High standard Pre-galvanised wire

PK:20pcs/Carton  
Part No:  
White: EFA066  
Package, and plastic material can be customized



### Insulated Spring Clip Strainer with Rope

High standard Pre-galvanised plate with Aluminum spool  
Spring wire clip for easy strain  
Impact resistant plastic  
With 80cm stainless 3mm rope  
Rope length can be customized

PK:40pcs/Carton  
Part No:  
White: EFA254080  
Package can be customized



### Wire tensioner with wheel

Suitable for tensioning wire  
Wire up to 5 mm  
Zinc casting Wheel  
Poder coating surface  
Dacromet surface is also available

PK:50pcs/Carton  
Part No:  
No.2: EFA076  
Package can be customized



### Strainer with Spring, End Strain Insulator and Rope

High standard Pre-galvanised plate with Aluminum spool  
Spring wire clip for easy strain  
Impact resistant plastic insulator  
Hight stand galvanized tension spring  
With 80cm stainless 3mm rope  
Rope length can be customized



### Spring Clip Strainer with End Strain Insulator

High standard Pre-galvanised plate with Aluminum spool  
Spring wire clip for easy strain  
Impact resistant plastic insulator

PK:50pcs/Carton  
Part No:  
EFA350TG  
Package can be customized

# Electric Fencing-Strainer

## STRAINER



### Line Strainer

No tools required and easy to use  
Wire up to 2.5mm, Tape to 15mm  
16 teeth design,more precisely strain  
Impact resistant plastic

PK:20pcs/Bag,200pcs/Carton  
Part No:  
Black: EFA007B  
Gray: EA007GR  
Color,package,material can be customized

### Line Strainer

No tools required and easy to use  
Wire up to 2.5mm, Tape to 15mm  
6 teeth design,more quickly strain  
Impact resistant plastic

PK:20pcs/Bag,200pcs/Carton  
Part No:  
Black: EFA008B  
White: EA008W  
Color,package,material can be customized

### Line Strainer

No tools required and easy to use  
Wire up to 8mm, Tape to 24mm  
6 teeth design,more quickly strain  
Impact resistant plastic

PK:20pcs/Bag,200pcs/Carton  
Part No:  
Black: EFA065B  
White: EA065W  
Color,package,material can be customized



### Poly Tape Strainer

Economic tightener, used for poly tape, up to 40mm  
Impact resistant plastic  
With stainless spring

PK:25pcs/Bag,200pcs/Carton  
Part No:  
Black: INS562B  
Yellow: INS562Y  
Color,package,material can be customized

### Poly Wire Tightener

Economic tightener, used for poly wire  
Wire up to 5mm  
Impact resistant plastic

PK:25pcs/Bag,300pcs/Carton  
Part No:  
Black: INS569B  
Yellow: INS569Y  
Color,package,material can be customized

### In Line Strainer

Perfect for end post strain  
Impact resistant plastic  
Stainless bolt and nut  
Wire up to 2.6mm

PK:10pcs/Bag,200pcs/Carton  
Part No:  
Black: EFA009B  
White: EA009W  
Color,package,material can be customized

# Electric Fencing-Posts

## Step in Post

### 1.2m PLASTIC STEP IN POST

Perfect for temporary fence  
Made from PP material with reinforced ribs for strength  
With a heavy-duty galvanised sharp metal spike end of post easily stepped into hard ground  
7 holders for wire  
3 holders for tape  
Wire up to 10mm, Tape up to 43mm  
Total length 1200mm, out ground 1000mm



PK:20pcs/Carton  
Part No:  
White: EST013W  
Color, package, material can be customized

### 1.2m(48") PLASTIC STEP IN POST



Simple structure for economic use  
Perfect for temporary fence  
Made from PP material with reinforced ribs for strength  
With a heavy-duty galvanised sharp metal spike end of post easily stepped into hard ground  
8 holders allows wire, poly wire, poly rope and tape to be free running  
Wire up to 1/4", Tape up to 2"  
Total length 48", out ground 970mm

PK:50pcs/Carton  
Part No:  
White: EST048W  
Black: EST048B  
Color, package, material can be customized

### 1.6m PLASTIC STEP IN POST

Perfect for temporary fence  
Made from PP material with reinforced ribs for strength  
With a heavy-duty galvanised sharp metal spike end of post easily stepped into hard ground  
9 holders allows wire, poly wire, poly rope to be free running  
5 holders allows tape to be free running  
Wire up to 10mm, Tape up to 43mm  
Total length 1600mm, out ground 1400mm



PK:20pcs/Carton  
Part No:  
White: EST012W  
Package, color and plastic material can be customized

### 1.2m(48") PLASTIC STEP IN POST



Simple structure for economic use  
Perfect for temporary fence  
Made from PP material with reinforced ribs for strength  
With a fibergalss sharp metal spark  
8 holders allows wire, poly wire, poly rope and tape to be free running  
Wire up to 1/4", Tape up to 2"  
Total length 48", out ground 970mm

PK:50pcs/Carton  
Part No:  
White: EST048WPPGF  
Black: EST048BPPGF  
Color, package, material can be customized

# Electric Fencing-Posts

## Step in Post and Pigtail Post

### 1.04m PLASTIC STEP IN POST



Simple structure for economic use  
Perfect for temporary fence  
Made from PP material with reinforced ribs for strength  
With a heavy-duty galvanised sharp metal spike end of post easily stepped into hard ground  
7 holders allows wire, poly wire, poly rope and tape to be free running

Total length 1040mm,

PK:50pcs/Carton  
Part No:  
White: EST009W  
Black: EST009B  
Color, package, material can be customized

### HEAVY DUTY PIGTAIL POST



Ideal for hard ground  
Φ6.3mm high standard galvanised spring steel  
UV stabilised pipe for long life  
Rugged crimped foot for durability  
Total length:1040mm  
Pipe colors are optional

PK:30pcs/Carton  
Part No:  
White: EST030W  
Red: EST030R  
Yellow: EST030Y  
Package can be customized

### 1.6m PLASTIC STEP IN POST



Simple structure for economic use  
Perfect for temporary fence  
Made from PP material with reinforced ribs for strength  
With a heavy-duty galvanised sharp metal spike end of post easily stepped into hard ground  
8 holders allows wire up to 2.5mm, tape up to 20mm  
2 holders allows wire up to 5mm, tape up to 40mm  
Total length 1600mm, out ground 1360mm

PK:50pcs/Carton  
Part No:  
White: EST010W  
Black: EST010B  
Package, color and plastic material can be customized

### HEAVY DUTY PIGTAIL POST



Ideal for hard ground  
Φ8 mm high standard galvanised spring steel  
UV stabilised pipe for long life  
Rugged crimped foot for durability  
Total length:1040mm  
Pipe colors are optional

PK:30pcs/Carton  
Part No:  
White: EST031W  
Red: EST031R  
Yellow: EST031Y  
Package can be customized

# Electric Fencing-Posts

## Pigtail Post and Offset Pigtail Post

### HEAVY DUTY PIGTAIL POST



Ideal for hard ground  
Φ6.5mm high standard galvanised spring steel  
UV stabilised pipe for long life  
Rugged crimped foot for durability  
Total length:1050mm  
Pipe colors are optional

PK:30pcs/Carton  
Part No:  
White: EST065W  
Blue: EST065BL  
Package can be customized

### HEAVY DUTY PIGTAIL POST



Ideal for hard ground  
Φ8 mm high standard galvanised spring steel  
UV stabilised pipe for long life  
Rugged crimped foot for durability  
Total length:1050mm  
Pipe colors are optional

PK:30pcs/Carton  
Part No:  
White: EST080W  
Blue:EST080BL  
Package can be customized

### Steel Offset -Double End



Used for wood post offset  
Φ6.3mm High standard galvanised spring steel  
Double pigtail offset  
Double ring for wire through  
UV stabilised pipe for long life  
Total length:500mm

PK:50pcs/Carton  
Part No:  
Red: EBT500R  
Package can be customized

### Steel Offset -Double End



Used for wood post offset  
Φ6.3mm High standard galvanised spring steel  
2 injection insulated  
Double ring for wire through  
With fixing plate and screw

Total length:545mm

PK:50pcs/Carton  
Part No:  
Orange: EBT545J  
Package can be customized

# Electric Fencing-Posts

## T/Y Post and Offset Post

<p><b>HEAVY DUTY T-POST</b></p>  <p>High quality rail steel Powder coated T design resists bending Heavier and stronger Easy to drive into ground Strong holding power for any type of fence</p> <p>bundles/pallet Part No: 6FT length: ETP006GPS 7FT length: ETP007GPS 8FT length: ETP008GPS Package,length,surface can be customized</p>	<p><b>Studded T Post</b></p>  <p>Attach fencing wire conveniently. Higher earth grasping strength. Waterproof, anti-rust and corrosion resistant surface. Can be used in high corrosive and humid environment. Can be used to fix plants. Long life time and can be reused</p> <p>bundles/pallet Part No: 6FT length: ETP016GPS 7FT length: ETP017GPS 8FT length: ETP018GPS Package,length,surface can be customized</p>
<p><b>Steel Offset -Single End</b></p>  <p>Used for wood post offset Φ6.3mm High standard galvanised spring steel Injection insulated Single ring for wire through With fixing plate and screw  Total length:260mm</p> <p>PK:50pcs/Carton Part No: Orange: EBT260J Package can be customized</p>	<p><b>HEAVY DUTY Y-POST</b></p>  <p>Easy to install, with a low coat Withstand the extreme weather and high wind forces Long life time Consistent holds for easy attachment to fencing wires High durability for not chipping, bending Anti-rust material coated Prevent the damage from termites Shape: Y shape, without teeth Material: rail steel and billet steel Surface: black bitumen coated, galvanized</p> <p>bundles/pallet Part No: 6FT length: EYP006GPS 7FT length: EYP007GPS 8FT length: EYP008GPS Package,length,surface can be customized</p>

# Electric Fencing-Posts

## Offset Pigtail Post

### Distance Pigtail Post

Used for wood post offset  
Φ8mm High standard steel with powder coating surface and easy screw  
UV stabilised pipe for long life  
Total Length:400mm  
Allow you to keep the fence line 300mm from the fence post



PK:50pcs/Carton  
Part No:  
Green: EST056G  
Color,package can be customized

### Distance Pigtail Post

Used for wood post offset  
Φ8mm High standard steel with powder coating surface and easy screw  
UV stabilised pipe for long life  
Total Length:200mm



PK:50pcs/Carton  
Part No:  
Green: EST057G  
Color,package can be customized

### Distance Pigtail Post

Used for wood post offset  
Φ8mm High standard steel with powder coating surface and easy screw  
UV stabilised pipe for long life  
Total Length:600mm



PK:50pcs/Carton  
Part No:  
White: EST055G  
Color,package can be customized

### Distance Pigtail Post

Used for wood post offset  
Φ8mm High standard steel with powder coating surface and easy screw  
UV stabilised pipe for long life  
Total Length:360mm  
Allow you to keep the fence line 250mm from the fence post



PK:50pcs/Carton  
Part No:  
White: EST051W  
Color,package can be customized

# Electric Fencing-Posts

## Distance Pigtail Post and Fibreglass Post

### Distance Pigtail Post



Used for wood post offset  
Φ6.3mm High standard  
galvanised steel cut end  
UV stabilised pipe for long life  
Available offset lengths:  
Offset 150mm(total 205mm)  
Offset 270mm(total 325mm)  
Offset 400mm(total 455mm)  
from the fence

PK:50pcs/Carton  
Part No:  
150mm white: EST150WN  
270mm white: EST270WN  
400mm white: EST400WN  
Package can be customized

### Round Fibreglass Post



Fibreglass reinforced polyester  
resin of nearly unlimited life span  
Pointed tip

Ø 10 mm  
Ø 9.5mm

PK:100pcs/bag

Part No:  
1200mm(10mm): EGF100Y120  
1500mm(10mm): EGF100Y150  
1200mm(9.5mm): EGF095Y120  
1500mm(9.5mm): EGF095Y150  
Color,package can be customized

### Distance Pigtail Post



Used for wood post offset  
Φ6.3mm High standard  
galvanised steel cut end  
UV stabilised pipe for long life  
Available offset lengths:  
Offset 150mm(total 240mm)  
Offset 270mm(total 360mm)  
Offset 400mm(total 490mm)  
from the fence

PK:50pcs/Carton  
Part No:  
150mm white: EST151WN  
270mm white: EST271WN  
400mm white: EST401WN  
Package can be customized

### Round Fibreglass Post



Fibreglass reinforced polyester  
resin of nearly unlimited life span  
Pointed tip  
Ø 12 mm

PK:100pcs/bag

Part No:  
1200mm: EGF120Y120  
1500mm EGF120Y150  
Color,package can be customized

# Electric Fencing-Fibreglass Posts

## Fibreglass Post

### Oval Fibreglass Post with metal spike



Fibreglass reinforced polyester resin of nearly unlimited life span  
Oval 10 x 8 mm  
Glued in step and galvanized metal spike  
with 1 top and 1 removable insulators  
Total post length: 1120/1220mm  
Fence height: approx. 900 /1040mm

PK:10pcs/bag

Part No:  
1120mm: EST112GFFT  
1220mm: EST122GFFT  
Color,package can be customized

### Round Fibreglass Post



Fibreglass reinforced polyester resin of nearly unlimited life span  
Dia. 10 mm  
Injection foot used high strength  
Total post length: 1220mm/1250mm  
Fence height: approx. 1000 mm

PK:10pcs/bag

Part No:  
1200mm: EST120BFT10  
1250mm: EST125BFT10  
Color,package can be customized

### Oval Fibreglass Post with metal spike



Fibreglass reinforced polyester resin of nearly unlimited life span  
Oval 10 x 8 mm  
Continuous fibreglass profile with integrated plastic step and tip  
with 1 top and 1 removable insulators  
Total post length: 1120/1220mm  
Fence height: approx. 900 /1040mm

PK:10pcs/bag

Part No:  
1120mm: EST112SLGFFT  
1220mm: EST122SLGFFT  
Color,package can be customized

### Round Fibreglass Post



Fibreglass reinforced polyester resin of nearly unlimited life span  
Dia. 12 mm  
Injection foot used high strength  
Total post length: 1220mm/1250mm  
Fence height: approx. 1000 mm

PK:10pcs/bag

Part No:  
1200mm: EST120BFT  
1250mm: EST125BFT  
Color,package can be customized

# Electric Fencing-General Accessories

## GENERAL ACCESSORIES



### Cut Out Switch

Used at convenient locations like fence corners and gates to switch off a section of fence for maintenance and routine checks. Stainless steel accessories Impact resistant plastic

PK:1pcs/bag,100pcs/Carton  
Part No:  
Black:EFA010BSS  
Package,color and material can be customized



### Fence Switch

Practical on or off and changeover switch for fence For mains operated fence lines Switches two separate fence Impact resistant plastic

PK:50pcs/Carton  
Part No:  
EFA602  
Package can be customized



### Round Multi Screw-in Aid

Used for almost all conventional ring and wide tape insulators,for mains and battery powered drills/drivers High standard galvanised HEX thread Impact resistant plastic With torque limiting attachment

PK:100pcs/Carton  
Part No:  
Black: EFA003B  
Color,package can be customized



### Ring Insulator Drill Adapter

High standard galvanized  
80\*46mm  
Round end  
M6

PK:1 set/bag  
Part No:  
EFA001  
Package can be customized



### Ring Insulator Drill Adapter

High standard galvanized  
50\*25mm  
Round end  
M8

PK:1 set/bag  
Part No:  
EFA006  
Package can be customized



### Split Bolt Joint Clamp

Allow wire up to 2.7mm  
High standard dacromet with M12mm bolt,washer and nut

PK:1000pcs/Carton  
Part No:  
EFA005DR  
Package can be customized

# Electric Fencing-General Accessories

## GENERAL ACCESSORIES



### Split Bolt Joint Clamp

Allow wire up to 3mm  
Made from Aluminum material with M10 thread  
With one nut  
Diameter of nut 18mm



### Split Bolt Joint Clamp

Allow wire up to 2.7mm  
Made from Aluminum material with M10 thread  
With two nuts  
Diameter of nut 15mm



### Polytape Splicer

Used to splice the end of tape together,up to 26mm(1")  
High standard 2.5mm galvanised steel,with welded end

PK:1000pcs/Carton  
Part No:  
EFA004AL  
Package can be customized

PK:1000pcs/Carton  
Part No:  
EFA039AL  
Package can be customized

PK:1000pcs/Carton  
Part No: EON013  
Package can be customized



### Polytape Splicer

Used to splice the end of tape together,up to 40mm  
High standard 3.5mm galvanised steel,with welded end

### Polytape End Splicer

Used to splice the end of tape together,up to 20mm(3/4')  
High standard 2.5mm galvanised steel,with welded end  
Can also be used for gate handle connection

### Polytape End Splicer

Used to splice the end of tape together,up to 40mm  
High standard 3.5mm galvanised steel,with welded end  
Can also be used for gate handle connection

PK:1000pcs/Carton  
Part No: EON014  
Package can be customized

PK:1000pcs/Carton  
Part No: EON011  
Package can be customized

PK:1000pcs/Carton  
Part No: EON012  
Package can be customized

# Electric Fencing-General Accessories

## GENERAL ACCESSORIES



### Joint Clamp

Allow wire up to 3mm  
High standard dacromet  
with M8\*20mm bolt, washer and  
nut

PK:1000pcs/Carton  
Part No:  
EFA038DR  
Package can be customized



### Rope Connector

Cable connectors  
Galvanized  
For 4-10 mm rope  
Stainless steel can be  
customized too

PK:400pcs/Carton  
Part No:  
Used for 4mm: EFA304  
Used for 6mm: EFA306  
Used for 8mm: EFA308  
Used for 10mm: EFA310



### Polytape Connector

Used to connect fence charger to  
tape or as an end clamp  
Polytape up to 40mm  
2 Aluminum plates  
2 sets galvanized M5 screw



### Splicing Sleeves

Aluminum alloy, tempered and  
inside gritted  
Excellent for high-tensile wire  
joining

PK:100pcs/bag

Part No:  
1-2#: EFA208  
2-3#: EFA209  
3-4#: EFA231  
4-5#: EFA232  
Package can be customized



### Rope Connector

Cable connectors  
Stainless steel  
Up to 8mm wire

PK:400pcs/Carton  
Part No:  
EFA307



### Joint Clamp

For two or more wires connection  
High standard dacromet  
Wire up to 2.5mm  
With M8 screw

PK:1000pcs/bag  
Part No:  
EFA018  
Package can be customized

# Electric Fencing-General Accessories

## GENERAL ACCESSORIES

		
<b>Warning Sign</b>	<b>Warning Sign</b>	<b>10.5" Fence Pliers</b>
Impact resistant plastic Clear printing service is available(single or double side) Pariting artworks can be customized Length:250mm;Width:130mm	Impact resistant plastic Clear printing service is available(single or double side) Pariting artworks can be customized Length:248mm;Width:140mm	Drop forged, hardened carbon steel construction Multi-purpose tool for installing, maintaining, and repairing wire fences Comfortable hand grips Hammer head for accurate striking
PK:200pcs/Carton Part No: Yellow: EFA013Y Package can be customized	PK:200pcs/Carton Part No: Yellow: EFA014Y Package can be customized	PK:30pcs/Carton Part No: EFA406 Package can be customized
		
<b>Super Farmer Pliers</b>	<b>10.5" Fence Pliers</b>	<b>Clip for Fibreglass Post</b>
Different crimping range Heavy duty wire rope hand crimper lasts for years Perfect polished jaw and crimper body brings secure assurance Made of quality forged alloy steel with heat treatment	Drop forged, hardened carbon steel construction Multi-purpose tool for installing, maintaining, and repairing wire fences Comfortable hand grips	2mm stainless wire Used for fiberglass post Double ears
PK:8pcs/Carton Part No: EFA405 Package can be customized	PK:30pcs/Carton Part No: EFA401 Package can be customized	PK:500pcs/bag Part No: For 9.5mm: EFA295SS For 10mm: EFA210SS For 12mm: EFA212SS Package can be customized

# Electric Fencing-General Accessories

## GENERAL ACCESSORIES



### Geared Reel

1:1 gear ratio  
Galvanized steel frame  
Rugged steel locking system  
Holds 500m wire and 200m tape with 12mm width

PK:4pcs/Carton  
Part No:  
EFA105BL  
Package can be customized



### Geared Reel

3:1 gear ratio  
Galvanized steel frame  
Rugged steel locking system  
Holds 500m wire and 200m tape with 12mm width

PK:4pcs/Carton  
Part No:  
EFA102W  
Package can be customized



### Geared Reel with Handle

3:1 gear ratio  
Galvanized steel frame  
Rugged steel locking system  
Holds 500m wire and 200m tape with 12mm width  
With 1 plastic handle(HDL031R)

PK:1pc/box  
Part No:  
EFA102WPP031R  
Package can be customized



### Geared Reel with Handle/Wire

3:1 gear ratio  
Galvanized steel frame  
Rugged steel locking system  
Holds 500m wire and 200m tape with 12mm width  
With 1 plastic handle(HDL031R)  
With 500m polywire  
2mm+6\*0.15mm stainless wire(ERT165WY500)

PK:1pc/box  
Part No:  
EFA102WPP031R165WY500  
Package can be customized



### Wire Spinner Fence Roller

4 adjustable arms for different diameter coils  
Galvanized for long life  
Pin to ground

PK:1pc/Carton  
Part No:  
EFA068  
Package can be customized



### 1.2m Chain Wire Tensioner

1.2m chain  
Easily and securely anchored to a fence post for leverage  
Suitable for wire with diameter 1.5mm to 5.0mm  
Powder coated

PK:30pcs/Carton  
Part No:  
Yellow:EFA412Y  
Blue: EFA412BL  
Package can be customized

# Electric Fencing-General Accessories

## GENERAL ACCESSORIES



### U Shape Tightener Handle

High standard galvanized  
High strength steel  
Total lenght 290mm,width 51mm,height 33mm

PK:1pc/box  
Part No:  
EFA022  
Package can be customized



### Tension Handle

High standard galvanized  
High strength steel  
Total lenght 480mm

PK:1pc/box  
Part No:  
EFA028  
Package can be customized



### 40mm Tape Joiner

1.5mm thick stainless steel  
63\*61mm size  
Max for 40mm polytape

PK:200pcs/Carton  
Part No:  
EFA207  
Package can be customized



### 3 Way Anchor

3 way  
3mm Stainless steel or  
Galvanized steel

PK:500pcs/Carton  
Part No:  
Galvanized steel: EFA011  
Stainless steel: EFA011SS  
Color,package can be  
customized



### Ground Rod Clamp

Zinc casting Base  
High standard galvanized M6  
screws

PK:200pcs/Carton  
Part No:  
EFA215  
Package can be customized



### Pipe Clamp

Mounting insulators with threads  
M6  
Stainless steel  
With black rubber lining for firm  
grip without damaging the post

PK:20pcs/Carton  
Part No:  
Black: EFA706  
Color,package can be  
customized

# Electric Fencing-General Accessories

## GENERAL ACCESSORIES



### Brace Pin

5" /10" length  
Hig standard galvanized  
Dia.9.3mm wire

PK:5pcs/bag  
Part No:  
5" lentgh: EFA217  
10"lentgh: EFA218  
Package can be customized



### Lightning Diverter Kit

High grade porcelain  
With lighting arrester,connector  
clamps,ground clamps and  
mounting screws  
Protect fence evergizer  
High standard galvanized  
Good quality sealing inside

PK:1pc/box  
Part No:  
EFA223  
Package can be customized



### Lightning Diverter Kit

High grade porcelain  
With clamps and mounting  
screws  
Protect fence evergizer  
High standard galvanized  
Good quality sealing inside

PK:1pc/box  
Part No:  
EFA233  
Package can be customized



### Connecting Cable

Up to 40mm polytape  
Red Wire 90cm  
Plate used stainless steel

PK:250pcs/Carton  
Part No:  
EFA620  
Package can be customized



### Connecting Cable

Stainless steel spring clips and  
contacts  
Quik wire connection  
4" long wire

PK:100pcs/bag  
Part No:  
EFA122R  
Package can be customized



### Connecting Cable

Stainless steel spring clips and  
contacts  
Quik wire connection  
1m long wire

PK:100pcs/bag  
Part No:  
EFA120R  
Package can be customized

# Electric Fencing-General Accessories

## GENERAL ACCESSORIES



### Solar Energizer

100Acres,30 Miles  
Delivered power vacuum:0.63J  
Solar Consumption:47 mA  
Voltage Vacuum:10KV Max  
IP66  
Power Source Battery:DC  
12V/8AH(not included)  
Panel:303\*213mm,5W,DC,18V,0.28A

PK:1 set/bag  
Part No:  
EFA563S10  
Package can be customized



### Solar Energizer

Power supply: 12 volts/20W solar panel,without battery  
Consumption: 0.05A~0.25A / H  
Voltage Vacuum: 12000 volts  
Delivered power vacuum: 6.2J  
Effective length: 40 km  
Effective area: 100km2/10000ha

PK:1 set/bag  
Part No:  
EFA562S012  
Package can be customized



### Solar Energizer

Power supply: 12 volts/20W solar panel,without battery  
Consumption: 0.11A~0.25A / H  
Voltage Vacuum: 12000 volts  
Delivered power vacuum:3J  
Effective length: 30 km  
Effective area:  
100km2/10000ha

PK:1 set/bag  
Part No:  
EFA530S12  
Package can be customized



### DC Energizer

Power supply: 12 volts/Solar panel  
Consumption:180 mA  
Voltage Vacuum: 10000 volts  
Delivered power vacuum: 4.2J  
Effective length: 40 km  
Effective area:56.25km2/5625ha

PK:1 set/bag  
Part No:  
EFA542S100  
Package can be customized



### Fence Alert

Material:ABS, Copper  
Visible up to 1.5 KM away.  
Works with all energizers  
No ground wires or external power sources required,including Lithium CR2032 button cell

PK:1 set/bag  
Part No:  
EFA234  
Package can be customized



### Fence Fault Finder

Material:ABS, Copper  
Show the location of fault for fence wire,Indicate 200-15000V voltage level on fence via LCD screen  
Replaceable 9V battery

PK:1 set/bag  
Part No:  
EFA235  
Package can be customized

# Electric Fencing-General Accessories

## GENERAL ACCESSORIES



### 8 Light Fence Voltage Tester

Material:ABS, Copper  
Description:Indicate 1000-12000V voltage level on farm fence via eight neon lights,waterproof,no battery required

PK:1 set/bag  
Part No:  
EFA238  
Package can be customized



### LCD Screen Digital Fence Tester

Material:ABS, Copper  
Description:Indicate 200-9900 V voltage level on farm fence via LCD screen,waterproof,work with 6F22 9V battery or equivalent

PK:1 set/bag  
Part No:  
EFA237  
Package can be customized



### LCD Screen Digital Fence Tester

Material:ABS, Copper  
Description:Indicate 200-9900 V voltage level on farm fence via LCD screen,waterproof


PK:1 set/bag  
Part No:  
EFA236  
Package can be customized



### Solar Panel

Material:Monocrystalline silicon,Aluminum alloy  
Tempered glass  
10W

PK:1 set/bag  
Part No:  
EFA510  
Package can be customized



### Solar Panel

Material:Monocrystalline silicon,Aluminum alloy  
Tempered glass  
25W

PK:1 set/bag  
Part No:  
EFA525  
Package can be customized



### Solar Panel

Material:Monocrystalline silicon,Aluminum alloy  
Tempered glass  
20W

PK:1 set/bag  
Part No:  
EFA520  
Package can be customized



---

## CHINA

Terri International CO.,LTD.  
Shanghai Terri International Trade CO.,LTD.  
Room1911, No.88 Sibao Road, Songjiang, Shanghai, China  
TEL:+86 21-64953600 FAX:+86 21-64953307  
Email:terri@terri.com Post Code:201601  
Website:www.terri.com

## USA

Goodwind LLC  
14615 Blue Ash Dr. Houston, TX 77090  
Tel:+1(469)924-2829

Email:info@bonawind.com  
Website: www.bonawind.com